

Trade name :	COSTAUSOL		
Revision date :	21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

COSTAUSOL (W02015)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Fragrance mixture which may be used in fragrance compounds according to the current legislation and IFRA rules. Fragrance ingredient which may be used in fragrance compounds according to the current legislation and IFRA rules. Reserved for industrial and professional use.

#### Uses advised against

Not intended for oral consumption.

## **1.3** Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

PFW Aroma Chemicals B.V.

Street : Veemweg 29-31 Postal code/city : NL - 3371 MT Barneveld Telephone : +31 342 40 77 00 Telefax : +31 342 40 77 20 Information contact : pfw@pfw.nl

1.4 Emergency telephone number

+31 342 40 77 93

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories Skin Irrit. 3 Skin Irrit. 3

- 2.2 Label elements
- 2.3 Other hazards

#### **SECTION 3: Composition / information on ingredients**

3.2 Mixtures Hazardous ingredients None

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



Trade name :	COSTAUSOL		
Revision date :	21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

#### **General information**

When in doubt or if symptoms are observed, get medical advice. Remove victim out of the danger area. Put victim at rest, cover with a blanket and keep warm. Do not leave affected person unattended. If unconscious place in recovery position and seek medical advice.

#### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

Wash immediately with: Water Do not wash with: Solvents/Thinner

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

#### **4.2 Most important symptoms and effects, both acute and delayed** No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed None

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media alcohol resistant foam Extinguishing powder Unsuitable extinguishing media

Strong water jet Water mist

#### 5.2 Special hazards arising from the substance or mixture Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide (CO).

#### 5.3 Advice for firefighters

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers.

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures** Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

- 6.2 Environmental precautions In case of entry into waterways, soil or drains, inform the responsible authorities.
- **6.3 Methods and material for containment and cleaning up** Suitable material for taking up: Sand Kieselguhr Universal binder Sawdust Collect in closed and suitable containers for disposal.
- 6.4 Reference to other sections See protective measures under point 7 and 8.



Trade name :	COSTAUSOL		
Revision date :	21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wear personal protection equipment (refer to section 8).

#### 7.2 Conditions for safe storage, including any incompatibilities Technical measures and storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Never use pressure to empty container.

#### Hints on joint storage

Keep away from oxidising agent , acid and alkali . **Storage class :** 10 **Storage class (TRGS 510) :** 10

## 7.3 Specific end use(s)

None

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

To date, no national critical limit values exist.

#### 8.2 Exposure controls

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### Appropriate engineering controls

No special technical protective measures are necessary.

#### Personal protection equipment

#### Eye/face protection

Eye glasses with side protection

#### Skin protection

#### Hand protection

Hand protection is not required

**Body protection** 

#### Overall

#### **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values insufficient ventilation insufficient exhaust Handling larger quantities. Container device with compressed air (DIN EN 137) / Filtering device (full mask or mouthpiece) with filter: Filter types:A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m3 (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m3 (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m3 (1.0 % by vol.)

#### **Environmental exposure controls**

Send to a hazardous waste incinerator facility under observation of official regulations.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Odour threshold in air : No data available

Page : 3 / 7



Trade name : Revision date :	COSTAUSOL 21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

#### Safety relevant basis data

Physical state :			liquid		
Colour :			Colourless.		
Odour :			Animalic		
Melting point/melting range :	(1013 hPa)	<	-20	°C	
Initial boiling point and boiling range :	(1013 hPa)	ca.	290	°C	
Flash point (Closed Cup) :		>	100	°C	DIN EN 51578
Flammability (solid, gas) :			not applicable		
Auto-ignition temperature :			no data available		
Evaporation rate :			slowly evaporating		
Explosive properties :			none		
Vapour Density	( 25 °C )		not applicable		
Density :	( 20 °C )		1,118	g/cm <sup>3</sup>	
Water solubility :			insoluble (0.1mg/l)		
pH value :			not applicable		
Log Pow :			not applicable		
Oxidising properties :			none		
ther information					
lana					

None

9.2

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No information available.

#### **10.2 Chemical stability**

No information available.

#### **10.3 Possibility of hazardous reactions**

No information available.

## 10.4 Conditions to avoid

No information available.

## 10.5 Incompatible materials

Exothermic reaction with: oxidising agent strong acid strong alkali

### **10.6 Hazardous decomposition products**

Decomposition with: Carbon dioxide. Carbon monoxide (CO).

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute effects

Exposure route :

Effective dose :

Acute dermal toxicity

#### Acute oral toxicity Parameter :

Species :

Source :

Parameter : Exposure route : LD50 ( 5-butyl-5-ethyltetrahydro-2H-pyran-2-one ; CAS No. : 67770-79-0 ) Oral Rat > 5 g/kg PFW Aroma Chemicals BV

LD50 ( 5-butyl-5-ethyltetrahydro-2H-pyran-2-one ; CAS No. : 67770-79-0 ) Dermal



rade name : evision date : rint date :	COSTAUSOL 21.09.2015 21-09-2015	<b>Version :</b> 1.0.0	
Species :		Rabbit	
Effective dose :		> 5 g/kg	
Source :		PFW Aroma Chemicals BV	
Irritant and co	rrosive effe	ects	
Primary irritation	to the skin		
Parameter :		Irritation of the skin ( 5-butyl-5-ethyltetrahydro-2H-pyran-2-one ; CAS No. : 67770-79-0)	
Parameter :		human	
Result :		No Irritation	
Method :		4% in sodium lauryl sulfate	
Source :		PFW Aroma Chemicals BV	
Parameter :		Irritation of the skin ( 5-butyl-5-ethyltetrahydro-2H-pyran-2-one ; CAS No. : 67770-79 0 )	
Parameter :		Rabbit	
Result :		No Irritation	
Method :		100%	
Source :		PFW Aroma Chemicals BV	

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No information available.

- 12.2 Persistence and degradability
- No information available.
- **12.3 Bioaccumulative potential** No information available.
- 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6 Other adverse effects

The evaluation was carried out according to the calculation method of the preparation directive.

#### 12.7 Additional ecotoxicological information

None

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Send to a hazardous waste incinerator facility under observation of official regulations. Clean IBCs or drums at approved facility only. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous goods in sense of this transport regulation.

#### 14.2 UN proper shipping name



Trade name :	COSTAUSOL		
Revision date :	21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

No dangerous goods in sense of this transport regulation.

#### 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

#### 14.4 Packing group

No dangerous goods in sense of this transport regulation.

#### 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

#### 14.6 Special precautions for user

None

#### **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Water hazard class (WGK) Class : slightly water pollutant according self classification Other regulations, restrictions and prohibition regulations

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### 16.1 Indication of changes

None

#### 16.2 Abbreviations and acronyms

a.i. = Active ingredient; ACGIH = American Conference of Governmental Industrial Hygienists (US); ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road; AFFF = Aqueous Film Forming Foam; AICS = Australian Inventory of Chemical Substances; AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC); AOAC = AOAC International (formerly Association of Official Analytical Chemists); aq. = Aqueous; Asia-PAC = Asia Pacific; ASTM = American Society of Testing and Materials (US); atm = Atmosphere(s); B.V. = Beperkt Vennootschap (LTD = Limited); BCF = Bioconcentration Factor; bp = Boiling point at stated pressure; bw = Body weight; ca = (Circa) about; CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society); CEFIC = European Chemical Industry Council (established 1972); CEPA = Canadian Environmental Protection Act (CAN); CEPA = Canadian Environmental Protection Act (Canada); CIPAC = Collaborative International Pesticides Analytical Council; CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.; CoE = Council of Europe (EU); Conc = Concentration; cP = CentiPoise; CSNN = Chemical Substance Nomination & Notification (Taiwan); cSt = Centistokes; d = Day(s); DIN = Deutsches Institut für Normung e.V.; DNEL = Derived No-Effect Level; DSL = Domestic Substances List; DT50 = Time for 50% loss; half-life; EbC50 = Median effective concentration (biomass, e.g. of algae); EC = European Community; European Commission; EC50 = Median effective concentration; ECL = Existing Chemicals List (Korea); EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number); ELINCS = European List of Notified (New) Chemicals; ENCS = Existing and New Chemical Substances Inventory (Japan); ErC50 = Median effective concentration (growth rate, e.g. of algae); EU = European Union; EWC = European Waste Catalogue; FAO = Food and Agriculture Organization (United Nations); FEMA = Flavor & Extract Manufacturers Association (USA); FLAVIS = Flavour Information System (EU); GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International); GRAS = Generally Recognized As Safe (USA); h = Hour(s); hPa = HectoPascal (unit of pressure); IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; IC50 = Concentration that produces 50% inhibition; IECSC = Inventory of Existing Chemical Substances



Trade name :	COSTAUSOL		
Revision date :	21.09.2015	Version :	1.0.0
Print date :	21-09-2015		

(China); IMDG Code = International Maritime Dangerous Goods Code; IMO = International Maritime Organization; ISO = International Organization for Standardization; IUCLID = International Uniform Chemical Information Database; IUPAC = International Union of Pure and Applied Chemistry; IVIS = In-Vitro Irritancy Score; JECFA = Joint Expert Committee on Food Additives (United Nations); kg = Kilogram; Kow = Distribution coefficient between n-octanol and water; kPa = KiloPascal (unit of pressure); LC50 = Concentration required to kill 50% of test organisms; LD50 = Dose required to kill 50% of test organisms; LEL = Lower Explosive Limit/Lower Explosion Limit; LOAEL = Lowest observed adverse effect level; LVE = Low Volume Exemption; mg = Milligram; min = Minute(s); ml = Milliliter; mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa); mp = Melting point; MRL = Maximum Residue Limit; MSDS = Material Safety Data Sheet; n.o.s. = Not Otherwise Specified; NDSL = Non-Domestic Substances List; NIOSH = National Institute for Occupational Safety and Health (US); NOAEL = No Observed Adverse Effect Level; NOEC = No observed effect concentration; NOEL = No Observable Effect Level; NOx = Oxides of Nitrogen; NZIOC = New Zealand Inventory of Chemicals; OECD = Organization for Economic Cooperation and Development; OEL = Occupational Exposure Limits; Pa = Pascal (unit of pressure); PBT = Persistent, Bioaccumulative or Toxic; pH = -log10 hydrogen ion concentration; PICCS = Philippine Inventory of Chemicals and Chemical Substances; pKa = -log10 acid dissociation constant; PNEC = Predicted No Effect Concentration; POPs = Persistent Organic Pollutants; ppb = Parts per billion; PPE = Personal Protection Equipment; ppm = Parts per million; ppt = Parts per trillion; PVC = Polyvinyl Chloride; QSAR = Quantitative Structure-Activity Relationship; REACH = Registration, Evaluation and Authorization of CHemicals (EU, see NCP); SI = International System of Units; STEL = Short-Term Exposure Limit; tech. = Technical grade; TSCA = Toxic Substances Control Act (US); TSCA = Toxic Substances Control Act (USA); TWA = Time-Weighted Average; UN = United Nations; vPvB = Very Persistent and Very Bioacccumulative; VwVwS = Verwaltungsvorschrift wassergefährdender Stoffe; WHO = World Health Organization = OMS; y = Year(s);

## 16.3 Key literature references and sources for data None

#### 16.5 Relevant R-, H- and EUH-phrases (Number and full text) None

- 16.6 Training advice
  - None

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.