

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

## Section 1. Identification of the substance or the mixture and of the supplier

### 1.1 Product Identifier

**Product identifier:** Methyl Hexyl Ketone 6166

**Other identifiers:** None

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

### 1.3 Details of the supplier of the safety data sheet

**Company name:** Perfumer's Apprentice

**Company address:** 170 Technology Circle  
Scotts Valley  
CA 95066  
USA

**Contact:** Elisabeth Hanson

**E-Mail address:** regulatory@perfumersapprentice.com

**Company phone:** (831)316-7137

### 1.4 Emergency telephone number

**Emergency phone:** ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**Class and category of danger:** Flammable Liquid, Hazard Category 3  
Acute Toxicity - Dermal Category 4  
H226, Flammable liquid and vapour.  
H312, Harmful in contact with skin.

### 2.2 Label elements

**Signal word:** Warning

**Hazard statements:** H226, Flammable liquid and vapour.  
H312, Harmful in contact with skin.

**Precautionary statements:** P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P233, Keep container tightly closed.  
P240, Ground/bond container and receiving equipment.  
P241, Use explosion-proof electrical, ventilating and lighting equipment.  
P242, Use only non-sparking tools.  
P243, Take precautionary measures against static discharge.  
P280, Wear protective gloves/eye protection/face protection.  
P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.  
P363, Wash contaminated clothing before reuse.  
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
P403/235, Store in a well-ventilated place. Keep cool.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:** None

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Contains:**

Name	CAS	%	GHS Classification
2-Octanone	111-13-7	100.00%	Flam. Liq. 3-Skin Irrit. 3-Aquatic Acute 3;H226-H316-H402

**Substances with workplace exposure limits, not listed above:**

Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.  
**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.  
**Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
**Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful in contact with skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

## **Section 5: Firefighting measures**

### **5.1 Extinguishing media**

Suitable media: Carbon dioxide, Dry chemical, Foam.

### **5.2 Special hazards arising from the substance or mixture**

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### **5.3 Advice for fire fighters:**

In case of insufficient ventilation, wear suitable respiratory equipment.

## **Section 6. Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures:**

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### **6.2 Environmental precautions:**

Keep away from drains, surface and ground water, and soil.

### **6.3 Methods and material for containment and cleaning up:**

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### **6.4 Reference to other sections:**

Also refer to sections 8 and 13.

## **Section 7. Handling and storage**

### **7.1 Precautions for safe handling:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

### **7.2 Conditions for safe storage, including any incompatibilities:**

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

### **7.3 Specific end use(s):**

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## **Section 8. Exposure controls/personal protection**

### **8.1 Control parameters**

**Workplace exposure limits:** Not Applicable

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

## 8.2 Exposure Controls

### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	52.2 °C
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard
<b>Vapour pressure:</b>	Not determined
<b>Vapour density:</b>	Not determined
<b>Relative density:</b>	Not determined
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b>Explosive properties:</b>	Not expected
<b>Oxidising properties:</b>	Not expected

**9.2 Other information:** None available

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on toxicological effects**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

<b>Acute Toxicity:</b>	Acute Toxicity - Dermal Category 4
Acute Toxicity Oral	Not Applicable
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Based on available data the classification criteria are not met.
<b>Serious eye damage/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Based on available data the classification criteria are not met.
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.

#### **Information about hazardous ingredients in the mixture**

Not Applicable

Refer to Sections 2 and 3 for additional information.

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

### Section 12. Ecological information

**12.1 Toxicity:** Not available  
**12.2 Persistence and degradability:** Not available  
**12.3 Bioaccumulative potential:** Not available  
**12.4 Mobility in soil:** Not available  
**12.5 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
<b>UN Model Regulations</b>	UN1224	KETONES, LIQUID, N.O.S. (Octan-2-one)	3	-	III
<b>IMDG</b>	UN1224	KETONES, LIQUID, N.O.S.(Octan-2-one)	3	-	III
<b>ADR,DOT,ADN</b>	UN1224	KETONES, LIQUID, N.O.S.(Octan-2-one)	3	-	III
<b>IATA</b>	UN1224	KETONES, LIQUID, N.O.S.(Octan-2-one)	3	-	III

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

### Section 15. Regulatory information

None additional

### Section 16. Other information

**Concentration % Limits:** EH A3=25.00% SCI 3=10.00%

**Total Fractional Values:** EH A3=4.00 SCI 3=10.00

**Key to revisions:**

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Methyl Hexyl Ketone 6166

**Version:** 1

Not applicable

### Key to abbreviations:

Abbreviation	Meaning
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H316	Causes mild skin irritation.
H402	Harmful to aquatic life.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P332/313	If skin irritation occurs: Get medical advice/attention.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 3	Skin Corrosion / Irritation Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.