

In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

Version:

Section 1. Identification of the substance or the mixture and of the supplier

- 1.1 Product Identifier
- Product identifier: Heavenly Musk Wellington HMWEL(Contains:Cinnamaldehyde, Musk ketone, Phenethyl alcohol, dl-Citronellol) None
- Other identifiers:

1

1.2 Relevant identified uses of the substance of mixture and uses advised against

- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name:	Perfumer's Apprentice
Company address:	170 Technology Circle Scotts Valley CA 95066 USA
Contact:	Elisabeth Hanson
E-Mail address:	regulatory@perfumersapprentice.com
Company phone:	+1 (831) 346 7234
1.4 Emergency telephor	ne number
Emergency phone:	+1 (831) 346 7234

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:	 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Carcinogenicity Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H351, Suspected of causing cancer (exposure route). H411, Toxic to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Warning



In accordance with REACH Regulation EC No.1907/2006

		In accordance with REACH Regulation EC No.1907/2006
Product:	Heaver	nly Musk Wellington HMWEL
Version:	1	
Hazard staten	nents:	 H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H351, Suspected of causing cancer (exposure route). H411, Toxic to aquatic life with long lasting effects.
Supplemental Information:		EUH208, Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 4-tert-Butylcyclohexyl acetate, Acetyl cedrene, Benzyl salicylate, Coumarin, Isoeugenol, Piperonal, alpha-Amylcinnamaldehyde, alpha-Hexylcinnamaldehyde, alpha-iso-Methylionone, d-Limonene, p-t-Butyl-alpha-methylhydrocinnamic aldehyde. May produce an allergic reaction.
Precautionary statements:		 P202, Do not handle until all safety precautions have been read and understood. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308/313, IF exposed or concerned: Get medical advice/attention. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P391, Collect spillage. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:		
Other hazards	:	None
		Section 3. Composition / information on ingredients
3.2 Mixtures		
Contains:		



In accordance with REACH Regulation EC No.1907/2006

Product:

1

Heavenly Musk Wellington HMWEL

Version:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Phenethyl alcohol	60-12-8	200-456-2		15.00%	ATO 4-EDI 2;H302- H319,-
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta- gamma-2-benzopyran	1222-05-5	214-946-9		6.10%	EH A1-EH C1;H410,-
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9		5.40%	SS 1B;H317,-
Benzyl acetate	140-11-4	205-399-7		5.40%	EH C3;H412,-
dl-Citronellol	106-22-9	203-375-0		5.40%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
Benzyl benzoate	120-51-4	204-402-9		4.60%	ATO 4-EH A1-EH C2; H302-H400-H411,-
Acetyl cedrene	32388-55-9	251-020-3		3.10%	SS 1B-EH A1-EH C1; H317-H410,-
Linalool	78-70-6	201-134-4		2.71%	SCI 2-EDI 2;H315- H319,-
Linalyl acetate	115-95-7	204-116-4		2.70%	SCI 2-EDI 2;H315-
Musk ketone	81-14-1	201-328-9		2.70%	H319,- CAR 2-EH A1-EH C1;
					H351-H410,- SCI 2-EDI 2;H315-
alpha-Terpineol	98-55-5	202-680-6		2.70%	H319,- FL 3-SCI 2-SS 1B-AH
d-Limonene	5989-27-5	227-813-5		2.59%	1-EH A1-EH C1;H226- H304-H315-H317- H410
3,7-Dimethyl-1-octanol	106-21-8	203-374-5		1.35%	SCI 2-EDI 2-EH C2; H315-H319-H411,-
Coumarin	91-64-5	202-086-7		1.35%	ATO 4-SS 1B;H302- H317,-
Methyl ester of rosin (partially hydrogenated)	8050-15-5	232-476-2		1.35%	EH C3;H412,-
alpha- Amylcinnamaldehyde	122-40-7	204-541-5		1.35%	SS 1B-EH C2;H317- H411
alpha-iso-Methylionone	127-51-5	204-846-3		0.80%	SCI 2-SS 1B-EH C2; H315-H317-H411,-
Cinnamaldehyde	104-55-2	203-213-9		0.79%	ATD 4-SCI 2-EDI 2-SS 1A;H312-H315-H317- H319
alpha- Hexylcinnamaldehyde	101-86-0	202-983-3		0.60%	SS 1B-EH A1-EH C2; H317-H400-H411,-
Benzyl salicylate	118-58-1	204-262-9		0.40%	SS 1B-EH C3;H317-
p-t-Butyl-alpha- methylhydrocinnamic aldehyde	80-54-6	201-289-8		0.40%	H412,- ATO 4-SCI 2-SS 1B- REP 2-EH C2;H302- H315-H317-H361- H411,-
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2	915-730-3		0.15%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
Butylated hydroxytoluene	128-37-0	204-881-4		0.15%	EH A1-EH C1;H410,-
Piperonal	120-57-0	204-409-7		0.15%	SS 1B;H317,-
Myrcene	123-35-3	204-622-5		0.05%	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315- H319,-
Isoeugenol	97-54-1	202-590-7		0.05%	ATO 4-ATD 4-SCI 2- EDI 2-SS 1A;H302- H312-H315-H317- H319,-



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

1

Version:

alpha-Pinene	80-56-8	201-291-9	0.02%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
beta-Caryophyllene	87-44-5	201-746-1	0.01%	AH 1;H304,-
p-Cymene	99-87-6	202-796-7	0.005%	FL 3-AH 1-EH C2; H226-H304-H411,-
dl-Limonene (racemic)	138-86-3	205-341-0	0.002%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
beta-Pinene	127-91-3	204-872-5	<0.001%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
Terpinolene	586-62-9	209-578-0	<0.001%	SS 1B-AH 1-EH A1-EH C1;H304-H317-H410,-

Substances with Community workplace exposure limits:

Name	CAS	EC	%
Butylated hydroxytoluene	128-37-0	204-881-4	0.15%
Diethyl phthalate	84-66-2	201-550-6	31.00%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of causing cancer (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

Version:

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

1

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

1

Version:

Ingredient	CAS	EC	Description	Value
Butylated hydroxytoluene	128-37-0	204-881-4	UK WEL Long term mgm3	10
Diathyl abthelate	ata 04.00.0		UK WEL Long term mgm3	5
Diethyl phthalate 84-66-2 20		201-550-6	UK WEL Short term mgm3	10

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 93.33 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

1

Version:

Decomposition temperature:Not determinedViscosity:Not determinedExplosive properties:Not expectedOxidising properties:Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	4468
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Carcinogenicity Category 2
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

1

Version:

STOT-repeated exposure:Based on available data the classification criteria are not met.Aspiration hazard:Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available
Phenethyl alcohol	60-12-8	200-456-2	1610	2500	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

- 12.2 Persistence and degradability: Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available
- 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Acetyl cedrene)
14.3 Transport hazard class(es):	9
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

Version:

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

1

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

 Concentration % Limits:
 EH C2=16.11% EH C3=1.60% EH C4=86.67% SCI 2=57.30% EDI 2=33. 49% SS 1=12.70% CAR 2=37.04%

 Total Fractional Values:
 EH C2=6.21 EH C3=62.36 EH C4=1.15 SCI 2=1.75 EDI 2=2.99 SS 1=7.88 CAR 2=2.70

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATD 4	Acute Toxicity - Dermal Category 4
ATO 4	Acute Toxicity - Oral Category 4
CAR 2	Carcinogenicity Category 2
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
ЕН СЗ	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer (exposure route).
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.



In accordance with REACH Regulation EC No.1907/2006

Product: Heavenly Musk Wellington HMWEL

1

Version:

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment Use explosion-proof electrical, ventilating and lighting equipment. P241 P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P281 Use personal protective equipment as required. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P308/313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth P331 Do not induce vomiting. If skin irritation occurs: Get medical advice/attention. P332/313 P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. REP 2 Toxic to Reproduction Category 2 SCI 2 Skin Corrosion / Irritation Category 2 SS 1A Sensitization - Skin Category 1A SS 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.