

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Brown Sugar Flavor 229X40

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Flavours

1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice

Company address: 170 Technology Circle
Scotts Valley
CA 95066
USA

Contact: Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

Company phone: +1 (831) 346 7234

1.4 Emergency telephone number

Emergency phone: +1 (831) 346 7234

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Sensitization - Respiratory Category 1
Carcinogenicity Category 2
Specific Target Organ Toxicity (Repeated Exposure) Category 2
H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351, Suspected of causing cancer (exposure route).
H373, May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).

2.2 Label elements

Signal word: Danger

Hazard statements: H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351, Suspected of causing cancer (exposure route).
H373, May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).

Precautionary statements: P202, Do not handle until all safety precautions have been read and understood.
P260, Do not breathe vapour or dust.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

P285, In case of inadequate ventilation wear respiratory protection.

P304/341, IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308/313, IF exposed or concerned: Get medical advice/attention.

P314, Get medical advice/attention if you feel unwell.

P342/311, If experiencing respiratory symptoms: Call a POISON CENTRE or a doctor/physician.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
Vanillin	121-33-5	204-465-2	1-<5%	EDI 2A;H319
Furfuryl alcohol	98-00-0	202-626-1	1-<5%	FL 4-ATO 3-ATD 3-ATI 2-SCI 2-EDI 2A-CAR 2-STO-SE 3(RI)-STO-RE 2; H227-H301-H311-H315-H319-H330-H335-H351-H373
Veratraldehyde	120-14-9	204-373-2	1-<5%	ATO 4;H302
Furfural	98-01-1	202-627-7	0.1-<1%	FL 4-ATO 3-ATD 4-ATI 2-SCI 2-EDI 2A-CAR 2-STO-SE 3(RI);H227-H301-H312-H315-H319-H330-H335-H351
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	222-908-8	0.1-<1%	EDI 2A-SS 1A;H317-H319

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Furfural	98-01-1	202-627-7	<1%
Propylene glycol	57-55-6	200-338-0	80-90%

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

Section 4. First-aid measures

4.1 Description of first aid measures

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Suspected of causing cancer (exposure route).

May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
Furfural	98-01-1	202-627-7	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-
Propylene glycol	57-55-6	200-338-0	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined

Odour: Not determined

pH: Not determined

Initial boiling point / range: Not determined

Flash point: 93.33 °C

Vapour pressure: Not determined

Relative density: Not determined

Solubility(ies): Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Suspected of causing cancer (exposure route).

May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000
Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available
Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Furfural	98-01-1	202-627-7	100	1100	1	Vapour
Furfuryl alcohol	98-00-0	202-626-1	250	530	1	Vapour
Veratraldehyde	120-14-9	204-373-2	2000	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity: Not available
12.2 Persistence and degradability: Not available
12.3 Bioaccumulative potential: Not available
12.4 Mobility in soil: Not available
12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not classified
14.2 UN Proper Shipping Name: Not classified
14.3 Transport hazard class(es): Not classified
Sub Risk: Not classified
14.4. Packing Group: Not classified
14.5 Environmental hazards: Not environmentally hazardous for transport
14.6 Special precautions for user: None additional

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SS 1=20.00% CAR 2=5.33% STO-RE 2=53.33%

Total Fractional Values: SS 1=5.00 CAR 2=18.75 STO-RE 2=1.88

Key to revisions:

2.1 Classification of the substance or mixture

Key to abbreviations:

Abbreviation	Meaning
ATD 3	Acute Toxicity - Dermal Category 3
ATD 4	Acute Toxicity - Dermal Category 4
ATI 2	Acute Toxicity - Inhalation Category 2
ATO 3	Acute Toxicity - Oral Category 3
ATO 4	Acute Toxicity - Oral Category 4
CAR 2	Carcinogenicity Category 2
EDI 2A	Eye Damage / Irritation Category 2A
FL 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer (exposure route).
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Brown Sugar Flavor 229X40

Version: 2

P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1A	Sensitization - Skin Category 1A
STO-RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
STO-SE 3(RI)	Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.