



1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

01 Identification

- 1.1 Product identifier
- · Trade name:

RAVINTSARA MADAGASCAR OIL

- Article number:
 - F2088
- CAS Number:
- 8008-51-3
- EC Number: 947-255-2
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation Perfume ingredient Only for industrial use
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- BIOLANDES, BP2 2760 Route de Bélis

40420 LE SEN **FRANCE**

TEL: +33(0)5.58.51.00.00 email: fds@biolandes.com

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

02 Hazard(s) identification

2.1 Classification of the substance or mixture



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapor.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Eye Irrit. 2A - H319 Causes serious eye irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- GHS label elements
- Hazard pictograms









GHS08

GHS02

GHS07

GHS09

Signal word Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)





1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

PRODUCT: RAVINTSARA MADAGASCAR OIL

(Contd. of page 1)

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 - P233 Keep container tightly closed.
- * P240 Ground/bond container and receiving equipment.
- * P301+P310 If swallowed: Immediately call a poison center/doctor.
- P403+P235 Store in a well-ventilated place. Keep cool.
- * P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

03 Composition/information on ingredients

3.1 Chemical characterization: Substances

CAS No. Description

8008-51-3 Cinnamomum camphora (L.) J.Presl

- Identification number(s)
- EC Number: 947-255-2
- Dangerous components:

	CAS Number		%
*	470-82-6	eucalyptol	50,001-100
		EC Number: 207-431-5	
*	3387-41-5	sabinene	10,001-20,00
*		EC Number: 222-212-4	
*	98-55-5	p-menth-1-en-8-ol	5,001-10,00
*		EC Number: 202-680-6	
*	127-91-3	pin-2(10)-ene (pinene beta)	1,001- 5,00
*		EC Number: 204-872-5	
*	80-56-8	pin-2(3)-ene (alpha pinene)	1,001- 5,00
*		EC Number: 201-291-9	
*	123-35-3	myrcene	1,001- 5,00
*		EC Number: 204-622-5	
*	562-74-3	p-menth-1-ene-4-ol (4-terpineol)	0,101-1,00
*		EC Number: 209-235-5	
*	87-44-5	caryophyllene	0,101-1,00
*		EC Number: 201-746-1	
*	99-86-5	terpinene alpha	0,101-1,00
*		EC Number: 202-795-1	
*	586-62-9	p-mentha-1,4(8)-diene (terpinolene)	0,101-1,00
*		EC Number: 209-578-0	

04 First-aid measures

- General information:
 - Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact:
 - If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



according to 29 CFR 1910.1200

Page: 3 / 8



1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

PRODUCT: RAVINTSARA MADAGASCAR OIL

 After swallowing: Seek immediate medical advice. (Contd. of page 2)

05 Fire-fighting measures

- Suitable extinguishing agents:
 CO2, sand, extinguishing powder. Do not use water.
 Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents:
 Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
 - Protective equipment:
 - Do not inhale explosion gases or combustion gases.
 - Additional information
 - Cool endangered receptacles with water spray.

06 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
 - Keep away from ignition sources
 - 6.3 Methods and material for containment and cleaning up:
 - Dispose contaminated material as waste according to item 13.
 - 6.4 Reference to other sections
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

07 Handling and storage

- Handling:
- 7.1 Precautions for safe handling
- Keep receptacles tightly sealed.
 - Keep away from heat and direct sunlight.
 - Ensure good ventilation/exhaustion at the workplace.
 - Handle with care. Avoid jolting, friction and impact.
 - Information about protection against explosions and fires:
 - Keep ignition sources away Do not smoke.
 - Protect against electrostatic charges.
 - Storage:
- Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
 - Prevent any seepage into the ground.
- Use only receptacles specifically permitted for this substance/ product.
- Further information about storage conditions:
 - Keep receptacle tightly sealed.
 - Protect from heat and direct sunlight.
 - Store receptacle in a well ventilated area.
 - 7.3 Specific end use(s)
 - No further relevant information available.

USA

(Contd. on page 4)





1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

PRODUCT: RAVINTSARA MADAGASCAR OIL

(Contd. of page 3)

08 Exposure controls/personal protection

 Components with limit values that require monitoring at the workplace: Not required.

CAS No. Designation of material % Type Value Unit

Not required.

Additional information:

The lists that were valid during the creation were used as basis.

- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
 - Keep away from foodstuffs, beverages and feed.
- * Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes.
 - Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
 - Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - Material of gloves
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 - Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - Eye protection: Safety glasses

General Information	
Appearance:	
Form:	fluid
Color:	colorless
Odor:	agrestic
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	< -20,0 °C
Boiling point/Boiling range:	178,00 - 179,00 °C
Flash point:	49,0 °C NFT 60-103 CC
Flammability (solid, gaseous):	Undetermined.
Auto igniting:	Not determined.
Danger of explosion:	Undetermined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	0,9000 0,9150 (D20/20)
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Other information	No further relevant information available.

USA



Page: 5 / 8

1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

PRODUCT: RAVINTSARA MADAGASCAR OIL

(Contd. of page 4)

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: Undetermined.
- Incompatible materials:
 No further relevant information available.
- Hazardous decomposition products: Undetermined.

11 Toxicological information

- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

ISO LD/LC

8008-51-3 Cinnamomum camphora (L.) J.Presl

Oral, LD50: 5100 mg/kg (rat) (read cross 1971)

470-82-6 eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

98-55-5 p-menth-1-en-8-ol

Oral, LD50: 4300 mg/kg (rat)

87-44-5 caryophyllene

- Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)
 - Primary irritant effect:
 - on the skin:

Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- Sensitization:
- Sensitization:

Sensitization possible through skin contact.

- Subacute to chronic toxicity:
 - Undetermined.
- OSHA-Ca (Occupational Safety & Health Administration)
 Substance is not listed.

12 Ecological information

· Aquatic toxicity:

8008-51-3 Cinnamomum camphora (L.) J.Presl

CE50/48h: 1,06 mg/l (daphnia) (calculation) CE50(96): 2,01 mg/l (algae) (calculation)

123-35-3 7-méthyl-3-méthyleneocta-1,6-diène (myrcene)

LD50: 0,51 mg/l (fish) (OECD 203)

CE50/48h: 0,65 mg/l (daphnia)

- Persistence and degradability
 - No further relevant information available.
 - Behavior in environmental systems: Not determined.
 - Bioaccumulative potential

No further relevant information available.

- Ecotoxical effects:
 - Not determined.
- Additional ecological information:
- General notes:

Toxic for aquatic organisms

The material is harmful to the environment.





1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

PRODUCT: RAVINTSARA MADAGASCAR OIL

13 Disposal considerations

(Contd. of page 5)

- · Waste treatment methods
- Recommendation:
 - Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations.

14 Transport information

• UN-Number

 DOT
 UN1169

 ADR
 UN1169

 IMDG
 UN1169

 IATA
 UN1169

• UN proper shipping name

DOT EXTRACTS, AROMATIC, LIQUID

ADR 1169 EXTRACTS, AROMATIC, LIQUID

IMDG EXTRACTS, AROMATIC, LIQUID (CINNAMOMUM CAMPHORA (L.) J.PRESL)

IATA EXTRACTS, AROMATIC, LIQUID

• Transport hazard class(es)

DOT

Class 3 Flammable liquids

Label





ADR

Class 3 (F1) Flammable liquids

Label





IMDG

Class 3 Flammable liquids

Label





IATA

Class 3 Flammable liquids

(Contd. on page 7)

USA





1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

(Contd. of page 6)

PRODUCT: RAVINTSARA MADAGASCAR OIL

Label



· Packing group

DOT III
ADR III
IMDG III
IATA III

· Environmental hazards:

Marine pollutant: Yes

 Special precautions for user Warning: Flammable liquids
 Danger code (Kemler):

30

EMS Number:

F-E,S-D

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- Transport/Additional information: Not applicable.

DOT

Quantity limitations

On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

E1

• UN "Model Regulation":

UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, DANGEREUX POUR

L'ENVIRONNEMENT

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture Non-mandatory
- Hazardous Air Pollutants
- Substance is not listed.

16 Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof.

The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with US regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

(Contd. on page 8)





1608603

Reviewed on: 14/08/19 Printing date: 14/08/2019

		(Contd. of page 7
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

Date of preparation / last revision 14.08.2019

• Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• * Data compared to the previous version altered.