

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 1: Identification**

Identification

: TOBACCO ABSOLUTE Product name

CAS-No. : 8037-19-2

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial uses: Uses of substances as such or in preparations\* at industrial sites

#### 1.3. Details of the supplier of the safety data sheet

Berie

700 Blair Road

Carteret, NJ 07008 - USA

T 973-748-8980 - F 973-680-9618

berje@berjeinc.com - www.berjeinc.com

**Emergency telephone number** 

Emergency number : 1-800-424-9300 24 Hours Emergency Chemtrec. ERR - CCN2624

### SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS-US** classification

Acute Tox. 4 (Oral) H302 -Harmful if swallowed Acute Tox. 2 (Dermal) H310 -Fatal in contact with skin. H315 -Causes skin irritation. Skin Irrit. 2

H412 -Harmful to aquatic life with long lasting effects. Aquatic Chronic 3

Full text of H statements: see section 16

#### **Label elements**

#### **GHS US labelling**

Hazard pictograms (GHS US)





GHS06

Signal word (GHS-US) : Danger

Hazard statements (GHS US) : H302 - Harmful if swallowed. H310 - Fatal in contact with skin. H315 - Causes skin irritation.

H412 - Harmful to aquatic life with long lasting effects.

: P262 - Do not get in eyes, on skin, or on clothing. Precautionary statements (GHS US) P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water/... P310 - Immediately call a POISON CENTER/doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P361 - Take off immediately all contaminated clothing.

P362 - Take off contaminated clothing.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose in a safe manner in accordance with local/national regulations

#### Other hazards 2.3.

No additional information available

#### **Unknown acute toxicity (GHS US)**

Not applicable

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ Page 1

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Methyl nicotinate	(CAS-No.) 93-60-7	10 - 25	Skin Irrit. 2, H315

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label).

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON

CENTER/doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact

: Fatal in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact

: Causes serious eye irritation.

Symptoms/effects after ingestion

: Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment Emergency procedures : Equip cleanup crew with proper protection.

: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 2/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection protective gloves.

Eye protection : Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Orange-brown
Odour
Odour : characteristic
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : > 200 °F

Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Explosive properties : No data available Oxidising properties : No data available Vapour pressure : No data available

Relative density : 999

Relative vapour density at 20 °C No data available Solubility : Insoluble in water. Log Pow No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity Viscosity, kinematic : No data available Viscosity, dynamic No data available

#### 9.2. Other information

No additional information available

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 3/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

TOBACCO ABSOLUTE (8037-19-2)	
ATE US (oral)	500 mg/kg bodyweight
ATE US (dermal)	50 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified  Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed. Fatal in contact with skin.
Symptoms/effects after skin contact	: Fatal in contact with skin. Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

TOBACCO ABSOLUTE (8037-19-2)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Methyl nicotinate (93-60-7)	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

TOBACCO ABSOLUTE (8037-19-2)	
Bioaccumulative potential	Not established.

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methyl	nicotinate	(93-60-7)
Wickings	mootmate	(00 00 1)

Bioaccumulative potential Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose in a safe

manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN2811 Toxic solids, organic, n.o.s. (TOBACCO ABSOLUTE), 6.1, II

UN-No.(DOT) : UN2811

Proper Shipping Name (DOT) : Toxic solids, organic, n.o.s.

**TOBACCO ABSOLUTE** 

Class (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

Hazard labels (DOT) : 6.1 - Poison



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 212 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid

plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1,

13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with

a sift-proof and water-resistant liner.

T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153
DOT Quantity Limitations Passenger aircraft/rail : 25 kg

(49 CFR 173.27)

49 CFR 1/3.27)

DOT Quantity Limitations Cargo aircraft only (49 : 100 kg

CFR 175.75)

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 5/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

Other information : No supplementary information available.

#### **Transportation of Dangerous Goods**

No additional information available

#### Transport by sea

: 2811 UN-No. (IMDG)

Proper Shipping Name (IMDG) : TOXIC SOLID, ORGANIC, N.O.S.

Class (IMDG) : 6.1 - Toxic substances

Packing group (IMDG) : II - substances presenting medium danger

MFAG-No : 154

Air transport

UN-No. (IATA) : 2811

Proper Shipping Name (IATA) : Toxic solid, organic, n.o.s. Class (IATA) : 6.1 - Toxic Substances Packing group (IATA) : II - Medium Danger

Civil Aeronautics Law Toxic and infectious substances/Toxic substances(Hazardous materials notice Appended Table

1 Article 194 of the Enforcement Regulations)

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### **TOBACCO ABSOLUTE (8037-19-2)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Methyl nicotinate (93-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. US State regulations

No additional information available

### **SECTION 16: Other information**

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : None.

#### Full text of H-statements:

H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B

B - Safety glasses, Gloves

SDS US (Berje) 5.2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05/18/2020 EN (English) SDS ID: 1X-075-001-ZZ 7/7