



Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

## Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** Petrichor Essence SDS-1107(Contains:6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone,

Dihydromyrcenol, Geraniol, delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one)

Other identifiers: None

# 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

## 1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice Company address: 170 Technology Circle

> Scotts Valley CA 95066 USA

Contact: Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

(831)316-7137 Company phone: 1.4 Emergency telephone number

ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377 **Emergency phone:** 

## Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

## Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

2.2 Label elements

## Classification under Regulation (EC) No 1272/2008

Signal word: Warning

**Hazard statements:** H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.





Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

Supplemental Information:

EUH208, Contains Methoxy dicyclopentadiene carboxaldehyde. May produce an allergic

reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

#### 2.3 Other hazards

Other hazards: None

## Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta- gamma-2-benzopyran	1222-05-5	214-946-9		2.5-10%	Aquatic Acute 1- Aquatic Chronic 1; H410,-
2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7		2.5-10%	Aquatic Chronic 2; H411,-
Benzyl benzoate	120-51-4	204-402-9		2.5-10%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,-
Dihydromyrcenol	18479-58-8	242-362-4		2.5-10%	Skin Irrit. 2-Eye Irrit. 2- Aquatic Chronic 3; H315-H319-H412,-
Linalool	78-70-6	201-134-4		2.5-10%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-





Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

1-Propanol, 2-methyl-3- [(1,7,7-trimethylbicyclo- [2.2.1]hept-2-yl)oxy]-	128119-70-0	416-210-4	2.5-10%	Eye Irrit. 2-Aquatic Chronic 2;H319-H411,-
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)- indanone	33704-61-9	251-649-3	1.0-2.5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 2;H315-H317- H319-H411,-
Geraniol	106-24-1	203-377-1	1.0-2.5%	Skin Irrit. 2-Eye Dam. 1-Eye Irrit. 2-Skin Sens. 1;H315-H317- H318-H319,-
Phenethyl alcohol	60-12-8	200-456-2	1.0-2.5%	Acute Tox. 4-Eye Irrit. 2;H302-H319,-
2,6,10-Trimethyl-9- undecenal	141-13-9	205-460-8	0.1-1.0%	Aquatic Acute 1- Aquatic Chronic 1; H410,-
Butylated hydroxytoluene	128-37-0	204-881-4	0.1-1.0%	Aquatic Acute 1- Aquatic Chronic 1; H410,-
Methoxy dicyclopentadiene carboxaldehyde	86803-90-9	429-860-9	0.1-1.0%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-
delta-1-(2,6,6-Trimethyl- 3-cyclohexen-1-yl)-2- buten-1-one	57378-68-4	260-709-8	0.1-1.0%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A- Aquatic Acute 1- Aquatic Chronic 1; H302-H315-H317- H410,-

# **Substances with Community workplace exposure limits:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Butylated hydroxytoluene	128-37-0	204-881-4			Aquatic Acute 1- Aquatic Chronic 1; H410,-

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed





Version: 2 (08/10/2021)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

None expected, see Section 4.1 for further information.

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### **6.2 Environmental precautions:**

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.





Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

## Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Butylated hydroxytoluene	128-37-0	204-881-4	UK WEL Long term mgm3	10

## **8.2 Exposure Controls**

#### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

PH:

Not determined

Flash point: 93 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determinedRelative density:Not determinedSolubility(ies):Not determinedPartition coefficient: n-octanol/water:Not determined





Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

Auto-ignition temperature:Not determinedDecomposition temperature:Not determinedViscosity:Not determinedExplosive properties:Not expectedOxidising properties:Not expected

**9.2 Other information:** None available

## Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

# 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

## 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:
Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:
Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:
Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.





Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

**Aspiration hazard:** Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Phenethyl alcohol	60-12-8	200-456-2	1610	2500	INot available	Not available

Refer to Sections 2 and 3 for additional information.

## Section 12. Ecological information

12.1 Toxicity:Not available12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

#### Section 13. Disposal considerations

## 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **Section 14. Transport information**

**14.1 UN number:** Not Regulated

**14.2 UN Proper Shipping Name:** None

14.3 Transport hazard class(es): Not Regulated

Sub Risk: -

14.4. Packing Group: Not Regulated

**14.5 Environmental hazards:** This is not an environmentally hazardous substance.

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Page 8 (9)



Issue date: 08/10/2021

Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

# **Section 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

# 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

# **Section 16. Other information**

**Concentration % Limits:** EH C2=21.74% EH C3=2.16% EH C4=66.67% SCI 2=50.00% EDI 2=23.

81% SS 1=20.00%

**Total Fractional Values:** EH C2=4.60 EH C3=46.32 EH C4=1.50 SCI 2=2.00 EDI 2=4.20 SS 1=5.00

Key to revisions:

Classification under Regulation (EC) No 1272/2008

# Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 4	Acute Toxicity - Oral Category 4		
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2	Eye Damage / Irritation Category 2		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
P261	Avoid breathing vapour or dust.		
P264	Wash hands and other contacted skin thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/eye protection/face protection.		
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.		
P302/352	IF ON SKIN: Wash with plenty of soap and water.		



Issue date: 08/10/2021 Version: 2 (08/10/2021)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** Petrichor Essence SDS-1107

Version: 2

IE IN EVEO Picture of the August Augu			
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to			
do. Continue rinsing.			
nmediately call a POISON CENTER or doctor/physician.			
Rinse mouth.			
If skin irritation occurs: Get medical advice/attention.			
If skin irritation or rash occurs: Get medical advice/attention.			
If eye irritation persists: Get medical advice/attention.			
Take off contaminated clothing and wash before reuse.			
Wash contaminated clothing before reuse.			
Collect spillage.			
Dispose of contents/container to approved disposal site, in accordance with local regulations.			
Skin Corrosion / Irritation Category 2			
Sensitization - Skin Category 1			
Sensitization - Skin Category 1A			
Sensitization - Skin Category 1B			

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.