

In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

1

- Product identifier: Marine/Ozone Key Accord 128L12(Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone, 3,7-Dimethyl-1,6-nonadien-3-ol, alpha-Methyl-1,3-benzodioxole-5propionaldehyde) None
- Other identifiers:
- 1.2 Relevant identified uses of the substance of mixture and uses advised against
- Product uses: Fragrances
- 1.3 Details of the supplier of the safety data sheet

Company name:	Perfumer's Apprentice
Company address: Contact:	170 Technology Circle Scotts Valley CA 95066 USA Elisabeth Hanson
E-Mail address:	regulatory@perfumersapprentice.com
Company phone:	(831)316-7137
1.4 Emergency telephor	ne number

Emergency phone: ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:	Skin Corrosion / Irritation Category 2 Sensitization - Skin Category 1
	Toxic to Reproduction Category 2
	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H361, Suspected of damaging fertility or the unborn child (exposure route).
	H410, Very toxic to aquatic life with long lasting effects.
2.2 Label elements	

Signal word:	Warning
Hazard statements:	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.



In accordance with REACH Regulation EC No.1907/2006

Product: Marine	e/Ozone Key Accord 128L12
Version: 1	
	H361, Suspected of damaging fertility or the unborn child (exposure route). H410, Very toxic to aquatic life with long lasting effects.
Supplemental Information:	None
Precautionary statements:	P202, Do not handle until all safety precautions have been read and understood. P261, Avoid breathing vapour or dust.
	P264, Wash hands and other contacted skin thoroughly after handling.
	P272, Contaminated work clothing should not be allowed out of the workplace.
	P273, Avoid release to the environment.
	P280, Wear protective gloves/eye protection/face protection.
	P302/352, IF ON SKIN: Wash with plenty of soap and water.
	P308/313, IF exposed or concerned: Get medical advice/attention.
	P333/313, If skin irritation or rash occurs: Get medical advice/attention.
	P362, Take off contaminated clothing and wash before reuse. P391, Collect spillage.
	P405, Store locked up.
	P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:	
Other hazards:	None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Galaxolide	1222-05-5			14.00%	EH A1-EH C1;H410,-
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2	915-730-3		8.00%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
3,7-Dimethyl-1,6- nonadien-3-ol	10339-55-6	233-732-6		6.00%	SCI 2-EDI 2;H315- H319,-
E- and Z- Oxacyclohexadec-12 (+13)-en-2-one	111879-80-2	422-320-3		6.00%	EH A1-EH C1;H410,-



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

1

Version:

alpha-Methyl-1,3- benzodioxole-5- propionaldehyde	1205-17-0	214-881-6	4 00%	SS 1B-EH C2;H317- H411,-
7-Methyl-2H-benzo-1,5- dioxepin-3(4H)-one	28940-11-6	249-320-4	2.00%	ATO 4;H302,-

Substances with Community workplace exposure limits:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

Version:

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

1

Version:

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 93.33 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9820
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information:

None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

Version:

10.5 Incompatible materials:

1

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Toxic to Reproduction Category 2
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
7-Methyl-2H-benzo-1,5- dioxepin-3(4H)-one	28940-11-6	249-320-4	500	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

- 12.2 Persistence and degradability: Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

Version:

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

1

Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Galaxolide, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)
14.3 Transport hazard class(es):	9
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to Annex I	of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

Abbreviation

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Meaning

Section 16. Other information

Concentration % Limits:	EH C1=89.29% EH C2=8.80% EH C3=0.88028169% EH C4=78.13% SCI 2=71.43% SS 1=12.50%
Total Fractional Values:	EH C1=1.12 EH C2=11.36 EH C3=113.60 EH C4=1.28 SCI 2=1.40 SS 1=8.00
Key to revisions:	
Not applicable	
Key to abbreviations:	

Perfumer's Apprentice, 170 Technology Circle, Scotts Valley, CA, 95066, USA



In accordance with REACH Regulation EC No.1907/2006

Product: Marine/Ozone Key Accord 128L12

1

Version:

ATO 4 Acute Toxicity - Oral Category 4 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H302 Harmful if swallowed H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P330 Rinse mouth. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P391 Collect spillage. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.