

Page 1 (10)

Issue date: 11/05/2021

Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Cola Syrup Flavor 18676(Contains: Acetic acid, Cinnamaldehyde, Ethyl alcohol, d-Limonene)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Flavours

1.3 Details of the supplier of the safety data sheet

Perfumer's Apprentice Company name: Company address: 170 Technology Circle

> Scotts Valley CA 95066

USA

Contact: Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

(831)316-7137 Company phone: 1.4 Emergency telephone number

ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377 **Emergency phone:**

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Flammable Liquid, Hazard Category 3

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1

H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger



Page 2 (10)

Issue date: 11/05/2021 Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Hazard statements: H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

Supplemental Information:

EUH208, Contains Citral, Terpinolene, alpha-Pinene, beta-Pinene. May produce an allergic

reaction.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



2.3 Other hazards

Other hazards: None



Page 3 (10)

Issue date: 11/05/2021

Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Ethyl alcohol	64-17-5	200-578-6		70-80%	Flam. Liq. 2-Eye Irrit. 2; H225-H319,-
d-Limonene	5989-27-5	227-813-5		10-20%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-
Acetic acid	64-19-7	200-580-7		1-10%	Flam. Liq. 3-Skin Corr. 1A-Eye Dam. 1;H226- H314,-
Cinnamaldehyde	104-55-2	203-213-9		1-10%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A;H312-H315- H317-H319,-
p-Mentha-1,4-diene	99-85-4	202-794-6		1-10%	Flam. Liq. 3-Repr. 2- Asp. Tox 1;H226-H304- H361,-
beta-Pinene	127-91-3	204-872-5		<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-
Terpinolene	586-62-9	209-578-0		<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H304-H317-H410,-
alpha-Pinene	80-56-8	201-291-9		<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-
Citral	5392-40-5	226-394-6		<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Ethyl alcohol	64-17-5	200-578-6		//I_X/I%	Flam. Liq. 2-Eye Irrit. 2; H225-H319,-

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.





Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.



Page 5 (10)

Issue date: 11/05/2021

Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Ethyl clockel	64-17-5		UK WEL Long term mgm3	1920
Ethyl alcohol	04-17-5	200-578-6	UK WEL Long term ppm	1000

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined





Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Odour:

Odour threshold:

Not determined

PH:

Not determined

Flash point: 51 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determined

Relative density: 0.8200

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Not determined

Not determined

Not determined

Not determined

Viscosity:

Not determined

Not determined

Not determined

Not determined

Not expected

Not expected

Not expected

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.



Page 7 (10)

Issue date: 11/05/2021

Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Cinnamaldehyde	104-55-2	203-213-9	2500	1100	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:Not available12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.





Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Section 14. Transport information

14.1 UN number: UN1197

14.2 UN Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

14.3 Transport hazard class(es): 3

Sub Risk: -

14.4. Packing Group:

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=21.01% EH C3=2.10% SCI 2=60.17% EDI 1=100.00% EDI 2=11.

76% SS 1=3.33% AH 1=74.28%

Total Fractional Values: EH C2=4.76 EH C3=47.59 SCI 2=1.66 EDI 1=1.00 EDI 2=8.50 SS 1=30.00

AH 1=1.35

Key to revisions:

Classification under Regulation (EC) No 1272/2008 Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients

Workplace exposure limits

Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 4	Acute Toxicity - Dermal Category 4		
Aquatic Acute 1	azardous to the Aquatic Environment - Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Asp. Tox 1	Aspiration Hazard Category 1		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2	Eye Damage / Irritation Category 2		
Flam. Liq. 2	Flammable Liquid, Hazard Category 2		
Flam. Liq. 3	Flammable Liquid, Hazard Category 3		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		



Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P262 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. R210 Keep away from heat, sparks, open flames and hot surfaces No smoking. R233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P262 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
Suspected of damaging fertility or the unborn child (exposure route). H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Reep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
H410 Very toxic to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P264 Wash hands and other contacted skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection/face protection.
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/330/331 If swallowed: Rinse mouth. Do not induce vomiting.
P302/352 IF ON SKIN: Wash with plenty of soap and water.
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower
P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy do. Continue rinsing.
P308/313 IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTRE or doctor/physician if you feel unwell.
P331 Do not induce vomiting.
P333/313 If skin irritation or rash occurs: Get medical advice/attention.
P337/313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391 Collect spillage.
P403/235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2 Toxic to Reproduction Category 2



Page 10 (10)

Issue date: 11/05/2021

Version: 3 (11/05/2021)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Cola Syrup Flavor 18676

Version: 3

Skin Corr. 1A	Skin Corrosion / Irritation Category 1A
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.