

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** DX Red Velvet Flavor 228B06(Contains:Butyric acid, Isovaleric acid, Vanillin)

**Other identifiers:** None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Flavours

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Perfumer's Apprentice

**Company address:** 170 Technology Circle  
Scotts Valley  
CA 95066  
USA

**Contact:** Elisabeth Hanson

**E-Mail address:** regulatory@perfumersapprentice.com

**Company phone:** (831)316-7137

#### 1.4 Emergency telephone number

**Emergency phone:** ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Skin Corrosion / Irritation Category 1C  
Eye Damage / Irritation Category 1  
Sensitization - Skin Category 1  
H314, Causes severe skin burns and eye damage.  
H317, May cause an allergic skin reaction.

#### 2.2 Label elements

##### **Classification under Regulation (EC) No 1272/2008**

**Signal word:** Danger

**Hazard statements:** H314, Causes severe skin burns and eye damage.  
H317, May cause an allergic skin reaction.

**Supplemental Information:** EUH208, Contains 3-Methylbutyraldehyde, Dihydrocoumarin, Piperonal. May produce an allergic reaction.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

**Precautionary statements:**

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P260, Do not breathe vapour or dust.  
P261, Avoid breathing dust/fume/gas/mist/vapour/spray.  
P264, Wash hands and other contacted skin thoroughly after handling.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P280, Wear protective gloves/eye protection/face protection.  
P301/330/331, If swallowed: Rinse mouth. Do not induce vomiting.  
P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308/313, IF exposed or concerned: Get medical advice/attention.  
P310, Immediately call a POISON CENTER or doctor/physician.  
P321, Specific treatment (see...on this label).  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P363, Wash contaminated clothing before reuse.  
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
P403/235, Store in a well-ventilated place. Keep cool.  
P405, Store locked up.

**Pictograms:**



### 2.3 Other hazards

**Other hazards:** None

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Ethyl vanillin	121-32-4	204-464-7		10-20%	Eye Irrit. 2;H319,-
Vanillin	121-33-5	204-465-2		10-20%	Eye Irrit. 2;H319,-

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

Butyric acid	107-92-6	203-532-3		1-10%	Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1;H302-H314,-
Isovaleric acid	503-74-2	207-975-3		1-10%	Skin Corr. 1B-Eye Dam. 1;H314,-
3-Methylbutyraldehyde	590-86-3	209-691-5		<1%	Flam. Liq. 2-Eye Irrit. 2-Skin Sens. 1-STOT SE 3;H225-H317-H319-H335,-
Dihydrocoumarin	119-84-6	204-354-9		<1%	Acute Tox. 4-Skin Sens. 1B;H302-H317,-
Piperonal	120-57-0	204-409-7		<1%	Skin Sens. 1B;H317,-

### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Propylene glycol	57-55-6	200-338-0		60-70%	-,-,-

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

- Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- Ingestion:** If swallowed: Rinse mouth. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see...on this label).

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Propylene glycol	57-55-6	200-338-0	UK WEL Long term mgm3	474
			UK WEL Long term ppm	150

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	84.44 °C
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard
<b>Vapour pressure:</b>	Not determined
<b>Vapour density:</b>	Not determined
<b>Relative density:</b>	1.0800
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b>Explosive properties:</b>	Not expected
<b>Oxidising properties:</b>	Not expected

**9.2 Other information:** None available

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

### Section 10. Stability and reactivity

**10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

**10.2 Chemical stability:**

Good stability under normal storage conditions.

**10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

**10.4 Conditions to avoid:**

Avoid extreme heat.

**10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

**10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

**11.1 Information on toxicological effects**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Skin Corrosion / Irritation Category 1C
<b>Serious eye damage/irritation:</b>	Eye Damage / Irritation Category 1
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data the classification criteria are not met.

**Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Butyric acid	107-92-6	203-532-3	1630	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

### Section 12. Ecological information

**12.1 Toxicity:** Not available

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

**14.1 UN number:** UN1760

**14.2 UN Proper Shipping Name:** CORROSIVE LIQUID, N.O.S. (Butyric acid, Isovaleric acid)

**14.3 Transport hazard class(es):** 8

**Sub Risk:** -

**14.4. Packing Group:** II

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** SCI 1B=70.71% SCI 1C=70.71% SCI 2=14.14% EDI 1=42.43% EDI 2=11.65%

**Total Fractional Values:** SCI 1B=1.41 SCI 1C=1.41 SCI 2=7.07 EDI 1=2.36 EDI 2=8.59

**Key to revisions:**

Classification under Regulation (EC) No 1272/2008

Information about hazardous ingredients in the mixture

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

Product identifier

SECTION 3: Composition/information on ingredients

Workplace exposure limits

### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 2	Flammable Liquid, Hazard Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** DX Red Velvet Flavor 228B06

**Version:** 3

P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.