



Issue date: 11/04/2021

Version: 3 (05/19/2021)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

## Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** RY4 Flavor 343146(Contains:(2E)-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Flavours

1.3 Details of the supplier of the safety data sheet

Perfumer's Apprentice Company name: Company address: 170 Technology Circle

> Scotts Valley CA 95066

USA

**Contact:** Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

(831)316-7137 Company phone: 1.4 Emergency telephone number

**Emergency phone:** ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

#### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

### Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Flammable Liquid, Hazard Category 3

Sensitization - Skin Category 1

H226, Flammable liquid and vapour. H317, May cause an allergic skin reaction.

#### 2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

**Hazard statements:** H226, Flammable liquid and vapour.

H317, May cause an allergic skin reaction.

**Supplemental** Information:

None



Page 2 (8) Issue date: 11/04/2021



Version: 3 (05/19/2021)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

**Precautionary** statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P272, Contaminated work clothing should not be allowed out of the workplace.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P321, Specific treatment (see...on this label).

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

#### 2.3 Other hazards

Other hazards: None

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

#### **Contains:**

| Name   | CAS        | EC        | REACH Registration No. | %        | Classification for (CLP) 1272/2008        |
|--|------------|-----------|------------------------|----------|---|
| Ethyl alcohol  | 64-17-5    | 200-578-6 |                        | 11_1(1)% | Flam. Liq. 2-Eye Irrit. 2;<br>H225-H319,- |
| (2E)-1-(2,6,6-Trimethyl-<br>1-cyclohexen-1-yl)-2-<br>buten-1-one | 23726-91-2 | 245-842-1 |                        | 1-5%     | Skin Sens. 1B;H317,-                      |
| Menthyl acetate (isomer unspecified)                             | 16409-45-3 | 240-459-6 |                        | 11-5%    | Aquatic Chronic 2;<br>H411,-              |
| Vanillin   | 121-33-5   | 204-465-2 |                        | 1-5%     | Eye Irrit. 2;H319,-                       |



Page 3 (8)

Issue date: 11/04/2021

Version: 3 (05/19/2021)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

## **Substances with Community workplace exposure limits:**

| Name             | CAS     | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008        |
|------------------|---------|-----------|------------------------|---------|---|
| Ethyl alcohol    | 64-17-5 | 200-578-6 |                        | 11-111% | Flam. Liq. 2-Eye Irrit. 2;<br>H225-H319,- |
| Propylene glycol | 57-55-6 | 200-338-0 |                        | 70-80%  | -;-,-                                     |

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

**Ingestion:** Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see...on this label).

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.





Issue date: 11/04/2021

Version: 3 (05/19/2021)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

## 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities:

Use only non-sparking tools.

Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits:

| Ingredient       | CAS     | EC        | Description           | Value |
|------------------|---------|-----------|-----------------------|-------|
| Ethyl alcohol    | 64-17-5 | 200-578-6 | UK WEL Long term mgm3 | 1920  |
|                  |         |           | UK WEL Long term ppm  | 1000  |
| Propylene glycol | 57-55-6 | 200-338-0 | UK WEL Long term mgm3 | 474   |
|                  |         |           | UK WEL Long term ppm  | 150   |

#### **8.2 Exposure Controls**

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**





Issue date: 11/04/2021

Version: 3 (05/19/2021)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Odour threshold:

PH:

Not determined

Flash point: 53.3 °C

**Evaporation rate:** Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined Not determined **Decomposition temperature:** Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

**9.2 Other information:** None available

### Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.



Page 6 (8)

Issue date: 11/04/2021 Version: 3 (05/19/2021)

**SAFETY DATA SHEET** 

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Based on available data the classification criteria are not met. **Serious eye damage/irritation:** Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

## **Section 12. Ecological information**

12.1 Toxicity:Not available12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available



Page 7 (8)

Issue date: 11/04/2021 Version: 3 (05/19/2021)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **Section 14. Transport information**

**DOT Proper Shipping Name:** This product has been reclassified as non-flammable in accordance with DOT

CFR 49 {173.120(d)].

Land Transport Shipping Name: Not Applicable UN Number: Not Applicable

Air Transport ICAO/ IATA UN Number: UN1197

UN Proper Shipping Name: EXTRACTS, LIQUID

Transport Hazard Class(es):

Packing group:

Environmental hazards: Not environmentally hazardous

Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### **Section 16. Other information**

Concentration % Limits: SS 1=50.00%

Total Fractional Values: SS 1=2.00

Key to revisions:

Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients Workplace exposure limits

### Key to abbreviations:

| Abbreviation      | Meaning  |
|-------------------|--|
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Eye Irrit. 2      | Eye Damage / Irritation Category 2                                 |

Page 8 (8)

Issue date: 11/04/2021

Version: 3 (05/19/2021)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** RY4 Flavor 343146

Version: 3

| H225<br>H317<br>H319<br>H411 | Highly flammable liquid and vapour.  May cause an allergic skin reaction.  Causes serious eye irritation.  Toxic to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking. |
|------------------------------|--|
| H319                         | Causes serious eye irritation.  Toxic to aquatic life with long lasting effects.   |
|                              | Toxic to aquatic life with long lasting effects.   |
| H411                         |  |
|                              | Keep away from heat, sparks, open flames and hot surfaces No smoking.  |
| P210                         |  |
| P233                         | Keep container tightly closed.   |
| P240                         | Ground/bond container and receiving equipment.   |
| P241                         | Use explosion-proof electrical, ventilating and lighting equipment.  |
| P242                         | Use only non-sparking tools.   |
| P243                         | Take precautionary measures against static discharge.  |
| P261                         | Avoid breathing vapour or dust.  |
| P264                         | Wash hands and other contacted skin thoroughly after handling.   |
| P272                         | Contaminated work clothing should not be allowed out of the workplace.   |
| P273                         | Avoid release to the environment.  |
| P280                         | Wear protective gloves/eye protection/face protection.   |
| P302/352                     | IF ON SKIN: Wash with plenty of soap and water.  |
| P303/361/353                 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.   |
| P305/351/338                 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.   |
| P333/313                     | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313                     | If eye irritation persists: Get medical advice/attention.  |
| P363                         | Wash contaminated clothing before reuse.   |
| P370/378                     | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  |
| P391                         | Collect spillage.  |
| P403/235                     | Store in a well-ventilated place. Keep cool.   |
| P501                         | Dispose of contents/container to approved disposal site, in accordance with local regulations.   |
| Skin Sens. 1B                | Sensitization - Skin Category 1B   |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.