Printed: 02/19/2016 Revision: 02/19/2016

Page: 1

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 **Product Code:** 16932

> **Product Name:** Honey Circles Cereal Flavor

- 1.2 Relevant identified uses of the substance or mixture and uses advised against:
- 1.3 **Details of the Supplier of the Safety Data Sheet:**

Company Name: Perfumer's Apprentice **Phone Number:** (831)316-7137

170 Technology Circle

Scotts Valley, CA 95066 Perfumersapprentice.com Web site address:

1.4 **Emergency telephone number:**

> Chem-Tel Phone **Emergency Contact:** (800)255-3924

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Serious Eye Damage/Eye Irritation, Category 2B

2.2 **Label Elements:**

> **GHS Signal Word:** Warning

GHS Hazard Phrases: Causes eye irritation.

GHS Precaution Phrases:

Wash {hands} thoroughly after handling.

GHS Response Phrases:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

No phrases apply.

2.3 **Adverse Human Health**

Effects and Symptoms:

2.3.1 Inhalation: May be harmful to inhale. 2.3.2 Skin Contact: May cause skin irritation. 2.3.3 Eye Contact: May cause eye irritation.

Section 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
57-55-6	Propylene glycol	90.0 -99.0 %	200-338-0 NA	Skin Corr. 2: H315 Eye Damage 2A: H319 STOT (SE) 3: H335 H336
121-33-5	Vanillin	1.0 -5.0 %	204-465-2 NA	No data available.

SAFETY DATA SHEET

Honey Circles Cereal Flavor

Page: 2 Printed: 02/19/2016 Revision: 02/19/2016

Section 4. First Aid Measures

4.1 **Description of First Aid**

Measures:

In Case of Inhalation: If fumes or combustion products are inhaled remove from contaminated area.

Lay patient down. Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be removed, where

possible, prior to initiating first aid

procedures.

Apply artificial respiration if not breathing, preferably with a demand valve resuscitator,

bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

Transport to hospital, or doctor.

In Case of Skin If skin contact occurs:

Immediately remove all contaminated clothing, including footwear. Contact:

Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

If this product comes in contact with the eyes: In Case of Eye

Wash out immediately with fresh running water. Contact:

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and

moving the eyelids by occasionally lifting the upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled

personnel.

If swallowed do NOT induce vomiting. In Case of Ingestion:

If vomiting occurs, lean patient forward or place on left side (head-down position, if

possible) to maintain open airway and

prevent aspiration.

Observe the patient carefully.

Never give liquid to a person showing signs of being sleepy or with reduced awareness;

i.e. becoming unconscious.

Give water to rinse out mouth, then provide liquid slowly and as much as casualty can

Polyethylene glycols are generally poorly absorbed orally and are mostly unchanged by

comfortably drink. Seek medical advice.

4.3 Indication of any

> immediate medical attention and special

treatment needed:

Dermal absorption can occur across damaged skin (e.g. through burns) leading to

increased osmolality, anion gap metabolic acidosis, elevated calcium,

low ionised calcium, CNS depression and renal failure.

Treatment consists of supportive care.

[Ellenhorn and Barceloux: Medical Toxicology]

Propylene glycol is primarily a CNS depressant in large doses and may cause

hypoglycaemia, lactic acidosis and seizures.

The usual measures are supportive care and decontamination (Ipecac/ lavage/ activated

charcoal/ cathartics), within 2 hours of exposure should

suffice.

Check the anion gap, arterial pH, renal function and glucose levels.

Ellenhorn and Barceloux: Medical Toxicology

SAFETY DATA SHEET

Honey Circles Cereal Flavor

Printed: 02/19/2016
Revision: 02/19/2016

Page: 3

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Alcohol stable foam.

Media: Dry chemical powder.

BCF (where regulations permit).

Carbon dioxide

Unsuitable Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches,

Extinguishing Media: pool chlorine etc. as ignition may

result

5.2 Flammable Properties Combustible.

and Hazards: Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

No data available.

Flash Pt: > 93.33 C Method Used: Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

5.3 Fire Fighting Alert Fire Brigade and tell them location and nature of hazard.

Instructions: Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or water course.

Use water delivered as a fine spray to control fire and cool adjacent area.

Section 6. Accidental Release Measures

6.1 Protective Precautions, No data available.

Protective Equipment and Emergency

Procedures:

6.2 Environmental No data available.

Precautions:

6.3 Methods and Material Remove all ignition sources.

For Containment and Clean up all spills immediately.

Cleaning Up: Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective equipment.

Section 7. Handling and Storage

7.1 Precautions To Be DO NOT allow clothing wet with material to stay in contact with skin

Taken in Handling: Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Prevent concentration in hollows and sumps. Material is hygroscopic, i.e. absorbs

moisture from the air. Keep containers well sealed in storage.

Store in original containers.

Keep containers securely sealed.

7.2 Precautions To Be Metal can or drum

Taken in Storing: Packaging as recommended by manufacturer.

Check all containers are clearly labelled and free from leaks. Glycols and their ethers

undergo violent decomposition in contact with 70% perchloric acid. This seems likely to

involve

formation of the glycol perchlorate esters (after scission of ethers) which are explosive,

Page: 4

Printed: 02/19/2016 Revision: 02/19/2016

those of ethylene glycol and

3-chloro-1,2-propanediol being more powerful than glyceryl nitrate, and the former so sensitive that it explodes on addition

of water.

Alcohols

are incompatible with strong acids, acid chlorides, acid anhydrides, oxidising and reducing agents.

reacts, possibly violently, with alkaline metals and alkaline earth metals to produce hydrogen

react with strong acids, strong caustics, aliphatic amines, isocyanates, acetaldehyde, benzoyl peroxide, chromic acid,

chromium oxide, dialkylzincs, dichlorine oxide, ethylene oxide, hypochlorous acid, isopropyl chlorocarbonate, lithium

tetrahydroaluminate, nitrogen dioxide, pentafluoroguanidine, phosphorus halides, phosphorus pentasulfide, tangerine oil, triethylaluminium, triisobutylaluminium

should not be heated above 49 deg.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS#	Chemical Name	Britain EH40	France VL	Germany MAK/TRK
57-55-6	Propylene glycol	TWA: 474 mg/m3 (150 ppm) (Total Particulates) TWA: 10 mg/m3 (Powder)	No data.	No data.
121-33-5	Vanillin	No data.	No data.	No data.
CAS#	Chemical Name	OSHA TWA	ACGIH TWA	Europe
57-55-6	Propylene glycol	No data.	No data.	No data.
121-33-5	Vanillin	No data.	No data.	No data.

8.2 Exposure Controls:

8.2.1 Engineering Controls (Ventilation etc.):

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed

engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to

provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to

reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically"

away from the worker and

ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses with side shields.

Chemical goggles.

Contact lenses may pose a special hazard; soft contact lenses may absorb and

concentrate irritants. A written policy

document, describing the wearing of lenses or restrictions on use, should be created for

each workplace or task.

Protective Gloves: Wear chemical protective gloves, e.g. PVC.

Page: 5

Printed: 02/19/2016 Revision: 02/19/2016

Wear safety footwear or safety gumboots, e.g. Rubber

NOTE:

The material may produce skin sensitisation in predisposed individuals. Care must be

taken, when removing gloves and

other protective equipment, to avoid all possible skin contact.

Contaminated leather items, such as shoes, belts and watch-bands should be removed

and destroyed.

Other Protective Overalls. P.V.C. apron. Clothing: Barrier cream.

Respiratory Equipment Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000

& 149:2001, ANSI Z88 or national equivalent) (Specify Type):

> Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory

protection is required.

Degree of protection varies with both face-piece and Class of filter; the

nature of protection varies with Type of filter.

No data available.

Section 9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties 9.1

> [X] Liquid **Physical States:** []Gas [] Solid

Liquid with circular honey cereal flavor and aroma. **Appearance and Odor:**

pH: No data. No data. **Melting Point: Boiling Point:** No data.

Flash Pt: > 93.33 C Method Used: Closed Cup

Evaporation Rate: No data.

No data available. Flammability (solid, gas):

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

No data.

mm Hg):

Vapor Density (vs. Air = 1): No data. 1.04 Specific Gravity (Water = 1): Solubility in Water: No data. Octanol/Water Partition No data.

Coefficient:

No data. **Autoignition Pt: Decomposition Temperature:** No data. Viscosity: No data.

Other Information 9.2

> **Percent Volatile:** No data.

SAFETY DATA SHEET

Honey Circles Cereal Flavor

Page: 6 Printed: 02/19/2016 Revision: 02/19/2016

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Conditions To Avoid - No data available.

Hazardous Reactions:

Possibility of Will occur [] Will not occur [X]

Hazardous Reactions:

10.4 Conditions To Avoid - No data available.

Instability:

10.5 Incompatibility - No data available.

Materials To Avoid:

10.6 Hazardous No data available.

Decomposition or Byproducts:

Section 11. Toxicological Information

11.1 Information on No data available.

Toxicological Effects:

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Section 12. Ecological Information

12.1 Toxicity: No data available.

12.2 Persistence and No data available.

Degradability:

12.3 Bioaccumulative No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and No data available.

vPvB assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal No data available.

Method:

Section 14. Transport Information

GHS Classification: Serious Eye Damage/Eye Irritation, Category 2B - Warning! Causes eye irritation

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not regulated.

UN Number: Hazard Class:

1.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not regulated.

Page: 7 Printed: 02/19/2016 Revision: 02/19/2016

AIR TRANSPORT (ICAO/IATA): 14.3

ICAO/IATA Shipping Name: Not regulated. Not regulated. Additional Transport

Information:

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

57-55-6 Propylene glycol No No No 121-33-5 Vanillin No No No

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [] Yes [X] No Chronic (delayed) Health Hazard

[] Yes [X] No Fire Hazard for SARA Title III Sections

[] Yes [X] No Sudden Release of Pressure Hazard 311/312 as indicated:

[] Yes [X] No Reactive Hazard

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

CA PROP.65: No 57-55-6 Propylene glycol 121-33-5 Vanillin CA PROP.65: No

CAS# **Hazardous Components (Chemical Name) International Regulatory Lists**

57-55-6 Propylene glycol REACH: Yes - (R), (P) 121-33-5 Vanillin REACH: Yes - (R), (P)

European Community Hazard Symbol codes:

European Community Risk and Safety Phrases:

No data available

Section 16. Other Information

Revision Date: 02/19/2016

This Product:

Additional Information About This product contains no added diacetyl as an ingredient. However, because diacetyl can occur in small amounts as an artifact of the production process in other ingredients, "No

Added Diacetyl" products may not be "Diacetyl Free", as trace amounts may be present.

Company Policy or

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process, unless specified in the text.