

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 1 of 8  
2014-01-29

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Black Tea

**Product/Sales No:** 257369

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance  
33306 Glendale St.  
Livonia, MI 48150 USA  
734-261-5531 FAX 734-261-5571  
www.wellingtonfragrance.com

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International (CHEMTEL #MIS 0000533)

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Aquatic Acute Toxicity, Category 1	:
Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation. 15 : May cause eye irritation.
Acute Inhalation	21 : Harmful if inhaled. 25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia.
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal system.

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 2 of 8  
2014-01-29

Carcinogenicity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin  
This mixture contains ingredients identified as carcinogens, at 0.1% or greater,  
by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



**Signal Word: Warning**

#### Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H411	Toxic to aquatic life with long lasting effects

#### Precautionary Statements

##### Prevention:

P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

##### Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 3 of 8  
2014-01-29

## 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	30 - 40 %	H302; H313; H411	28, 3
101-86-0 <i>Hexyl cinnamal</i>	202-983-3	10 - 20 %	H303; H316; H317; H411	11, 15
115-95-7 <i>Linalyl acetate</i>	204-116-4	5 - 10 %	H227; H315; H319	
78-70-6 <i>Linalool</i>	201-134-4	5 - 10 %	H227; H303; H315; H319	12, 26
38285-49-3 <i>5-Methyl-3-butyltetrahydropyran-4-yl acetate</i>	253-863-2	5 - 10 %	H316	
14901-07-6 <i>beta-Ionone</i>	238-969-9	5 - 10 %	H316; H411	11, 39
60-12-8 <i>phenethyl alcohol</i>	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3
140-11-4 <i>Benzyl acetate</i>	205-399-7	1 - 2 %	H227; H303; H316	15, 25, 26, 31, 39
8016-23-7 <i>Guaiaic wood oil (Bulnesia sarmienti)</i>	289-632-8	1 - 2 %	H316	
708022-56-8 <i>Salvia officinalis (sage) oil</i>	282-025-9	1 - 2 %	H226; H302; H304; H316; H317; H332; H371; H411	11, 2, 21, 3, 31
18871-14-2 <i>4-Acetoxy-3-pentyltetrahydropyran</i>	242-640-5	1 - 2 %	H316; H412	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.62

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 4 of 8  
2014-01-29

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

**Risks:** Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable:** Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

### 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 5 of 8  
2014-01-29

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4 <i>Benzyl acetate</i>				10

Engineering Controls: Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Conforms to Standard

**Odor:** Conforms to Standard

**Color:** Tint to Pale Yellow

**Viscosity:** Liquid

**Freezing Point:** Not determined

**Boiling Point:** Not determined

**Melting Point:** Not determined

**Flashpoint:** 190 F (87.78 C)

**Auto flammability:** Not determined

**Explosive Properties:** None Expected

**Oxidizing properties:** None Expected

**Vapor Pressure (mmHg@20 C):** 0.049

**%VOC:** 4.3708

**Specific Gravity @ 25 C:** 0.9940

**Density @ 25 C:** 0.9910

**Refractive Index @ 25 C:** 1.5145

**Soluble in:** Oil

## 10. Stability and Reactivity

**10.1 Reactivity** None

**10.2 Chemical stability** Stable

**10.3 Possibility of hazardous reactions** None known

**10.4 Conditions to avoid** None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 6 of 8  
2014-01-29

10.6 Hazardous decomposition products      None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute toxicity - Oral	(LD50: 2,406.47) May be harmful if swallowed
Acute toxicity - Dermal	(LD50: 3,481.27) May be harmful in contact with skin
Acute toxicity - Inhalation	(LC50: 28.58) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute aquatic toxicity	
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability      no data available

12.3 Bioaccumulative potential      no data available

12.4 Mobility in soil      no data available

12.5 Other adverse effects      no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**  
Product#: **257369**  
SKU#: **bt**

Page 7 of 8  
2014-01-29

## 14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

## 15. Regulatory Information

### U.S. Federal Regulations:

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

### U.S. State Regulations:

**California Proposition 65 Warning** This product contains the following components:  
93-15-2 202-223-0 <= 1 ppm Methyl eugenol (NFS)

### Canadian Regulations:

**DSL / NDSL** 100.00% of the components are listed or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H303 : May be harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H315 : Causes skin irritation	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H332 : Harmful if inhaled	H371 : May cause damage to organs
H411 : Toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

### Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.46) Aquatic Acute Toxicity, Category 1	(2.18) Skin Corrosion/Irritation, Category 2
(15.00) Sensitization, Skin, Category 1B	(2.26) Eye Damage/Eye Irritation, Category 2A
(1.35) Target Organ Systemic Toxicity - Single Exposure, Category 2	(3.61) Aquatic Chronic Toxicity, Category 2

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1097268

Product: **Black Tea**

Product#: **257369**

SKU#: **bt**

Page 8 of 8

2014-01-29

---

**Department issuing data sheet:**

**Department E-mail address:**

## Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.