

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 1 of 8  
2014-01-29

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Cantaloupe

**Product/Sales No:** 512830

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Wellington Fragrance  
33306 Glendale St.  
Livonia, MI 48150 USA  
734-261-5531 Fax 734-261-5571  
wellingtonfragrance.com

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International (CHEMTEL #MIS 0000533)

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

|  |   |
|--|---|
| Aquatic Acute Toxicity, Category 2     | :   |
| Flammable Liquids, Category 3          | H226: Flammable liquid and vapour                     |
| Acute Toxicity Dermal, Category 4      | H312: Harmful in contact with skin                    |
| Skin Corrosion/Irritation, Category 2  | H315: Causes skin irritation                          |
| Sensitization, Skin, Category 1B       | H317: May cause an allergic skin reaction             |
| Eye Damage/Eye Irritation, Category 2A | H319: Causes serious eye irritation                   |
| Acute Toxicity Inhalation, Category 4  | H332: Harmful if inhaled                              |
| Carcinogenicity, Category 2            | H351: Suspected of causing cancer                     |
| Aquatic Chronic Toxicity, Category 2   | H411: Toxic to aquatic life with long lasting effects |

#### Classification OSHA (Provisions 1910.1200 of title 29)

|                                 |  |
|---------------------------------|--|
| Flammability                    | Class II Flammable Liquid  |
| Acute Dermal/Eye                | 12 : Causes moderate skin irritation.<br>15 : May cause eye irritation.  |
| Acute Inhalation                | 21 : Harmful if inhaled.<br>23 : May cause respiratory tract irritation.<br>25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia. |
| Reproductive/Developmental      | 39 : Causes reproductive/developmental toxicity in animals.  |
| Sensitization/Allergic Response | 31 : May cause allergic skin reaction.   |
| Target Organ Effects            | 26 : Prolonged or repeated ingestion may cause damage to: kidneys, stomach, brain, tongue, mucous membranes, musculo-skeletal system.  |
| Carcinogenicity                 | This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]                                   |

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 2 of 8  
2014-01-29

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



**Signal Word: Warning**

#### Hazard statements

|      |   |
|------|---|
| H226 | Flammable liquid and vapour                     |
| H312 | Harmful in contact with skin                    |
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H319 | Causes serious eye irritation                   |
| H332 | Harmful if inhaled                              |
| H351 | Suspected of causing cancer                     |
| H411 | Toxic to aquatic life with long lasting effects |

#### Precautionary Statements

##### Prevention:

|      |  |
|------|--|
| P201 | Obtain special instructions before use                                   |
| P202 | Do not handle until all safety precautions have been read and understood |
| P233 | Keep container tightly closed  |
| P235 | Keep cool  |
| P240 | Ground/bond container and receiving equipment                            |
| P241 | Use explosion-proof electrical/ventilating/light/.../equipment           |
| P242 | Use only non-sparking tools  |
| P243 | Take precautionary measures against static discharge                     |
| P264 | Wash hands thoroughly after handling                                     |
| P271 | Use only outdoors or in a well-ventilated area                           |
| P272 | Contaminated work clothing should not be allowed out of the workplace    |
| P273 | Avoid release to the environment   |
| P281 | Use personal protective equipment as required                            |

##### Response:

|                    |   |
|--------------------|---|
| P302 + P352        | IF ON SKIN: Wash with soap and water  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower  |
| P304 + P312 + P340 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing                               |
| P308 + P313        | IF exposed or concerned: Get medical advice/attention   |
| P333 + P313        | If skin irritation or a rash occurs: Get medical advice/attention   |
| P337 + P313        | If eye irritation persists: Get medical advice/attention  |
| P352               | Wash with soap and water  |
| P362               | Take off contaminated clothing and wash before reuse  |

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 3 of 8  
2014-01-29

P363 Wash contaminated clothing before reuse  
P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material  
P391 Collect Spillage

## 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS#<br>Ingredient   | EC#       | Conc.<br>Range | GHS Classification                       | OSHA Classification |
|--|-----------|----------------|--|---------------------|
| <b>77-83-8</b><br><i>Ethyl methylphenylglycidate</i>                   | 201-061-8 | 20 - 30 %      | H317; H411                               | 11, 15              |
| <b>84-66-2</b><br><i>Diethyl phthalate</i>                             | 201-550-6 | 20 - 30 %      | H316                                     |                     |
| <b>104-67-6</b><br><i>gamma-Undecalactone</i>                          | 203-225-4 | 10 - 20 %      | H316; H412                               | 11                  |
| <b>141-97-9</b><br><i>Ethyl acetoacetate</i>                           | 205-516-1 | 5 - 10 %       | H227; H303; H316                         |                     |
| <b>7452-79-1</b><br><i>Ethyl 2-methylbutyrate</i>                      | 231-225-4 | 5 - 10 %       | H226                                     |                     |
| <b>142-92-7</b><br><i>Hexyl acetate</i>                                | 205-572-7 | 2 - 5 %        | H226; H316; H411                         |                     |
| <b>1191-16-8</b><br><i>3-Methyl-2-butenyl acetate (Prenyl acetate)</i> | 214-730-4 | 2 - 5 %        | H226; H303                               |                     |
| <b>140-11-4</b><br><i>Benzyl acetate</i>                               | 205-399-7 | 2 - 5 %        | H227; H303; H316                         | 15, 25, 26, 31, 39  |
| <b>98-55-5</b><br><i>alpha-Terpineol</i>                               | 202-680-6 | 1 - 2 %        | H227; H303; H315; H319                   | 11, 15, 23          |
| <b>123-92-2</b><br><i>Isoamyl acetate (Isopentyl acetate)</i>          | 204-662-3 | 1 - 2 %        | H226                                     | 21                  |
| <b>81782-77-6</b><br><i>4-Methyl-3-decen-5-ol</i>                      | 279-815-0 | 1 - 2 %        |  | 15                  |
| <b>8030-89-5</b><br><i>Rum ether</i>                                   | 232-449-5 | 1 - 2 %        | H225; H314; H336; H351                   |                     |
| <b>68737-61-1</b><br><i>Dimethyltetrahydro Benaldehyde</i>             | 272-113-5 | 1 - 2 %        | H227; H303; H313; H315; H317; H319; H412 | 12, 15, 31          |

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 4 of 8  
2014-01-29

## 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

**Risks:** Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable:** Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

### 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 5 of 8  
2014-01-29

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

| Component |  | ACGIH   | ACGIH    | OSHA    | OSHA     |
|-----------|--|---------|----------|---------|----------|
|           |  | TWA ppm | STEL ppm | TWA ppm | STEL ppm |
| 84-66-2   | <i>Diethyl phthalate</i>                   |         | 5        |         |          |
| 140-11-4  | <i>Benzyl acetate</i>                      |         | 10       |         |          |
| 123-92-2  | <i>Isoamyl acetate (Isopentyl acetate)</i> | 50      |          | 100     | 100      |

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Conforms to Standard

**Odor:** Conforms to Standard

**Color:** Colorless

**Viscosity:** Liquid

**Freezing Point:** Not determined

**Boiling Point:** Not determined

**Melting Point:** Not determined

**Flashpoint:** 124 F (51.11 C)

**Auto flammability:** Not determined

**Explosive Properties:** None Expected

**Oxidizing properties:** None Expected

**Vapor Pressure (mmHg@20 C):** 2.4278

**%VOC:** 27.2651

**Specific Gravity @ 25 C:** 1.0080

**Density @ 25 C:** 1.0050

**Refractive Index @ 25 C:** 1.4655

**Soluble in:** Oil

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 6 of 8  
2014-01-29

## 10. Stability and Reactivity

|   |  |
|---|--|
| 10.1 Reactivity                         | None   |
| 10.2 Chemical stability                 | Stable   |
| 10.3 Possibility of hazardous reactions | None known   |
| 10.4 Conditions to avoid                | None known   |
| 10.5 Incompatible materials             | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products   | None known   |

## 11. Toxicological Information

### 11.1 Toxicological Effects

|  |   |
|--|---|
| Acute toxicity - Oral                              | (LD50: 5,163.11) Not classified - the classification criteria are not met |
| Acute toxicity - Dermal                            | (LD50: 1,728.60) Harmful in contact with skin                             |
| Acute toxicity - Inhalation                        | (LC50: 11.99) Harmful if inhaled  |
| Skin corrosion / irritation                        | Causes skin irritation  |
| Serious eye damage / irritation                    | Causes serious eye irritation   |
| Respiratory sensitization                          | Not classified - the classification criteria are not met                  |
| Skin sensitization                                 | May cause an allergic skin reaction                                       |
| Germ cell mutagenicity                             | Not classified - the classification criteria are not met                  |
| Carcinogenicity                                    | Suspected of causing cancer   |
| Reproductive toxicity                              | Not classified - the classification criteria are not met                  |
| Specific target organ toxicity - single exposure   | Not classified - the classification criteria are not met                  |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met                  |
| Aspiration hazard                                  | Not classified - the classification criteria are not met                  |

## 12. Ecological Information

### 12.1 Toxicity

|                             |   |
|-----------------------------|---|
| Acute aquatic toxicity      |   |
| Chronic aquatic toxicity    | Toxic to aquatic life with long lasting effects |
| Toxicity Data on soil       | no data available                               |
| Toxicity on other organisms | no data available                               |

|                                    |                   |
|------------------------------------|-------------------|
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential     | no data available |
| 12.4 Mobility in soil              | no data available |
| 12.5 Other adverse effects         | no data available |

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 7 of 8  
2014-01-29

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

| Regulator                                |            | Class                               | Pack Group | Sub Risk         | UN-nr. |
|--|------------|-------------------------------------|------------|------------------|--------|
| <b>U.S. DOT (Non-Bulk)</b>               |            | Not Regulated - Not Dangerous Goods |            |                  |        |
| Chemicals NOI                            |            |                                     |            |                  |        |
| <b>ADR/RID (International Road/Rail)</b> |            |                                     |            |                  |        |
| Environmentally Hazardous Liquid, n.o.s. | Substance, | 9                                   | III        |                  | UN3082 |
| <b>IATA (Air Cargo)</b>                  |            |                                     |            |                  |        |
| Perfumery Products                       |            | 3                                   | III        | Flammable Liquid | UN1266 |
| Environmentally Hazardous Liquid, n.o.s. | Substance, | 9                                   | III        |                  | UN3082 |
| <b>IMDG (Sea)</b>                        |            |                                     |            |                  |        |
| Perfumery Products                       |            | 3                                   | III        | Flammable Liquid | UN1266 |
| Environmentally Hazardous Liquid, n.o.s. | Substance, | 9                                   | III        |                  | UN3082 |

## 15. Regulatory Information

### U.S. Federal Regulations:

|  |  |
|--|--|
| <b>TSCA (Toxic Substance Control Act):</b> | All components of the substance/mixture are listed or exempt |
| <b>40 CFR(EPCRA, SARA, CERCLA and CAA)</b> | This product contains the following components:              |
| 84-66-2      201-550-6    20 - 30 %        | Diethyl phthalate  |
| 123-92-2    204-662-3    1 - 2 %           | Isomyl acetate (Isopentyl acetate)                           |

### U.S. State Regulations:

|  |                     |
|--|---------------------|
| <b>California Proposition 65 Warning</b> | No Warning required |
|--|---------------------|

### Canadian Regulations:

|                   |   |
|-------------------|---|
| <b>DSL / NDSL</b> | 100.00% of the components are listed or exempt. |
|-------------------|---|

## 16. Other Information

### GHS H-Statements referred to under section 3

|  |  |
|--|--|
| H225 : Highly flammable liquid and vapor   | H226 : Flammable liquid and vapour             |
| H227 : Combustible liquid                  | H303 : May be harmful if swallowed             |
| H313 : May be harmful in contact with skin | H314 : Causes severe skin burns and eye damage |
| H315 : Causes skin irritation              | H316 : Causes mild skin irritation             |
| H317 : May cause an allergic skin reaction | H319 : Causes serious eye irritation           |
| H336 : May cause drowsiness or dizziness   | H351 : Suspected of causing cancer             |

# Safety Data Sheet

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1131678

Product: **Cantaloupe**  
Product#: **512830**  
SKU#: **can**

Page 8 of 8  
2014-01-29

---

H411 : Toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

## Total Fractional Values

(TFV) Risk

(2.84) Aquatic Acute Toxicity, Category 2

(24.45) Sensitization, Skin, Category 1B

(13.50) Carcinogenicity, Category 2

(TFV) Risk

(1.67) Skin Corrosion/Irritation, Category 2

(1.70) Eye Damage/Eye Irritation, Category 2A

(1.60) Aquatic Chronic Toxicity, Category 2

**Department issuing data sheet:**

**Department E-mail address:**

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington holds no responsibility. This document is not intended for quality assurance purposes.