

Safety Data Sheet
29 CFR 1910.1200**Section 1: Company and Product Identification**

Product Name: HEXYL SALICYLATE**Company:** THE JOHN D. WALSH CO., INC.
25 EXECUTIVE PKWY.
RINGWOOD, NJ 07456**Emergency Response:** 24 HOUR EMERGENCY NUMBER
CHEMTREC (800) 424-9300**Section 2: Hazards Identification**

GHS07

GHS09

BLANK

BLANK

Hazard Pictograms:**Signal Word:** Warning**Hazard Category:** Skin corrosion/irritation Cat 2
Sensitization, skin Cat 1
Hazard to aquatic environment, chronic Cat 1**Hazard Statements:** H315: Causes skin irritation
H317: May cause an allergic skin reaction
H410: Very toxic to aquatic life with long lasting effects**Precautionary Statements:** P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P264: Wash thoroughly after handling
P272: Contaminated work clothing should not be allowed out of the workplace
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+352: IF ON SKIN: Wash with soap and water
P333+313: If skin irritation or a rash occurs: Get medical advice/attention
P362: Take off contaminated clothing and wash before reuse
P391: Collect spillage
P501 Dispose of in a safe manner in accordance with local/national regulations**Section 3: Composition / Information on Ingredients**

SUBSTANCE	CAS#	Weight %
HEXYL SALICYLATE	6259-76-3	100

Section 4: First Aid Measures

If ingested: Rinse mouth. Seek immediate medical attention.**If inhaled:** Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing Method / Equipment: apparatus (SCBA) and full protective equipment.

Hazardous Constituents associated with burning / combustion are to be considered toxic.
Decomposition Info:

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all **protective equipment** ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate **and procedures:** protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, **Equipment and** where this is possible. Utilize absorbent clay or sand to contain and stop spreading material.
Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open **Precautions:** flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame.
Storage:

Incompatibilities: Store away from strong acids or oxidizing agents. Refer to Section 10.

Section 8: Exposure Control / Personal Protection

General / Engineering Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye **Controls:** wash facilities must be available when handling this product.

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or if
Protection: ventilation is inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands
Information: or exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Colorless	Boiling Point/Range: 290C	pH Not avail
Sp Grav: 1.03	Odor: Mild,floral	Water Solubility: Insoluble
Evaporation rate: Not avail	Flash Point: >93C	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 0.003
VOC Content (lbs/gal): 0%	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

Incompatible materials: Strong oxidizing agents.

Decomposition products: No decomposition products known. Toxic substances may be released in the event of a fire.

Section 11: Toxicological Information

Toxicological Information (contained substances)

Substance (name)	LD50 Oral	LD50 Dermal
HEXYL SALICYLATE	>5g/kg (Rat)	>5g/kg

Carcinogenicity or mutagenicity: NOT AVAILABLE

Sensitization: NOT AVAILABLE

Other Notes: Not applicable.

Section 12: Ecological Information

Degradation / Mobility info: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Bioaccumulative potential: No specific data available. Contained solvents are expected to degrade rapidly in the environment.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste contractor.

Section 14: Transport Information

DOT/ NON BULK: NOT REGULATED

IMO/IMDG: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (HEXYL SALICYLATE) 9, PG III, MARINE POLLUTANT

IATA: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (HEXYL SALICYLATE) 9, III

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: NOT LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED
Substances:

Canadian DSL: YES LISTED

WHMIS: H-1, F-1, R-0

Section 16: Other Information

Version Date: 5/12/2016

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product