

507465 MYSORE WOOD

 Revision Date: 04-11-2016
 Page 1 of 12

 Version # 01
 Print Date: 04-11-2016

1. IDENTIFICATION

Product Description:	MYSORE WOOD	
CAS #	MIXTURE	
Other means of identification Vigon Item #	507465	
Recommended use	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.	
Recommended restrictions	For Manufacturing Use Only	
<u>Company</u>	24 Hour Emergency Response Information	
Vigon International, Inc.	INFOTRAC (ACCT# 78928);	
127 Airport Road	1-800-535-5053 WITHIN THE U.S.A.	
E. Stroudsburg, PA 18301	1-352-323-3500 OUTSIDE THE U.S.A.	
For information call: 570-476-6300)	
Web Site: www.vigon.com		

2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2
Label elements	!	
Signal word	Warning	

Hazard statement

H315 H317 H411 Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Prevention	
P261	Avoid breathing mist or vapor.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.



507465 MYSORE WOOD

Revision Date: 04-11-2016	Page 2 of 12	
Version # 01	Print Date: 04-11-2016	
P362 + P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
Storage	Store away from incompatible materials.	
Disposal		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS		32210-23-4	20 - < 30
2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL	ethyl trimethyl cyclopentene butenol 2- buten-1-ol 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)	28219-61-6	10 - < 15
(E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol	3,3- dimethyl-5(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol trimethyl cyclopentenyl dimethyl isopentenol	107898-54-4	5 - < 7.5
3-CYCLOPENTENE-1-BUTANAL, .ALPHA.,2,2,3-TETRAMETHYL- .GAMMAMETHYLENE	.ALPHA.,2,2,3-TETAMETHYLGAMMA METHYLENE-3-CYCLOPENTENE-1- BUTANAL	166432-53-7	2.5 - < 5
CARVACROL	2-methyl-5-isopropyl phenol iso propyl-ortho-cresol 2-hydroxy-para-cymene 3-iso propyl-6-methyl phenol 1-methyl-2-hydroxy-4-isopropylbenzene 2- methyl-5-propan-2-ylphenol	499-75-2	0.1< 0.5
SPIRO[5.5]UNDEC-8-EN-1-OL, 2,2,9,11-TETRAMETHYL-, 1-ACETATE		678981-31-2	0.1< 0.5
Other components below reportable	elevels		50 - < 60

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.



507465 MYSORE WOOD

Revision Date: 04-11-2016	Page 3 of 12
Version # 01	Print Date: 04-11-2016

Most important symptoms/effects, acute and delayed	Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective
equipment and emergency
proceduresKeep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or
inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless
wearing appropriate protective clothing. Ventilate closed spaces before entering them.



507465 MYSORE WOOD

Revision Date: 04-11-2016	Page 4 of 12
Version # 01	Print Date: 04-11-2016

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.
7. HANDLING AND STORAGE	

0	Do not handle or store near an open flame, heat or other sources of ignition. All equipment used when handling the product must be grounded. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Take precautionary measures against static discharges. Avoid breathing vapor.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.	
Skin protection		
Hand protection	Chemical resistant gloves.	
Other	Use of an impervious apron is recommended.	
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	



507465 MYSORE WOOD

Revision Date: 04-11-2016	Page 5 of 12
Version # 01	Print Date: 04-11-2016

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explose	sive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.1 mm Hg at 20 °C
Vapor density	Not available.
Relative density	0.97 at d 20/20
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Molecular formula	Not applicable
VOC (Weight %)	< 16 %



507465 MYSORE WOOD

Revision Date: 04-11-2016 Version # 01 Page 6 of 12 Print Date: 04-11-2016

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure		
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components	Species	Test Results
(E)-3,3-dimethyl-5-(2,2,3-tr	rimethyl -3-cyclopenten-1-yl)-4-penten-2	2-ol (CAS 107898-54-4)
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
2-ETHYL-4-(2,2,3-TRIMET	THYL CYCLOPENT-3-EN-1-YL)BUT-2-	EN-1-OL (CAS 28219-61-6)
Acute		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
CARVACROL (CAS 499-7	5-2)	
Acute		
Dermal		
LD50	Rabbit	2700 mg/kg



507465 MYSORE WOOD

Version # 01 Print Date: 04	-11-2016

Components	Species	Test Results
Oral		
LD50	Rat	810 mg/kg
* Estimates for product may b	e based on additional component data not shown.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity		
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1050)	
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

12. ECOLOGICAL INFORMATION

otoxicity	Toxic to a	quatic life with long lasting effects.	
Components		Species	Test Results
(E)-3,3-dimethyl-5-(2,2	2,3-trimethyl -3-cycl	openten-1-yl)-4-penten-2-ol (CAS 1	107898-54-4)
Aquatic			
Acute			
Algae	EC50	Algae	0.62 mg/l, 72 hours
Crustacea	EC50	Daphnia	1 mg/l, 48 hours
Fish	LC50	Fish	1.2 mg/l, 96 hours
Other	EC50	Activated Sludge	9 mg/l, 3 hours
2-ETHYL-4-(2,2,3-TR	IMETHYL CYCLOP	ENT-3-EN-1-YL)BUT-2- EN-1-OL ((CAS 28219-61-6)
Aquatic			
Acute			
Crustacea	EC50	Daphnia	0.63 mg/l, 48 hours
Fish	EC100	Fish	4 mg/l, 24 hours

* Estimates for product may be based on additional component data not shown.



507465 MYSORE WOOD

Revision Date: 04-11-2016	Page 8 of 12	
Version # 01	Print Date: 04-11-2016	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. DISPOSAL CONSIDE	RATIONS	
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	Not established.	
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is	

14. TRANSPORT INFORMATION

emptied.

ADN	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS,2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
ADR	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS,2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
RID	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS,2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL)
Transport hazard class(es)	9



507465 MYSORE WOOD

Revision Date: 04-11-2016 Version # 01 Page 9 of 12 Print Date: 04-11-2016


Subsidiary class(es)	<u> </u>
Packing group	
Environmental hazards	Yes
Labels required	9
DOT	
BULK	
UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS,2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL)
Hazard class	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Hazard ID	•3Z
Labels required	9
DOT	
NON-BULK	
Not regulated as dangerous	goods.
ΙΑΤΑ	
Not regulated as dangerous	goods.
IMDG	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BUTYLCYCLOHEXYL ACETATE PARA HIGH CIS,2-ETHYL-4-(2,2,3-TRIMETHYL CYCLOPENT-3-EN-1-YL)BUT-2- EN-1-OL)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according to Annex II of MARPOL	Not applicable.
73/78 and the IBC Code	



507465 MYSORE WOOD

Revision Date: 04-11-2016 Version # 01 Page 10 of 12 Print Date: 04-11-2016

ADN; ADR; DOT BULK; IMDG; RID





15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical



507465 MYSORE WOOD

Version # 01 Print Date: 04-11-2016	

SARA 313 (TRI reporting) Not regulated.)	
Other federal regulations		
Clean Air Act (CAA) Section	on 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	on 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. Massachusetts RTK -	Substance List	
Not regulated.		
-	nd Community Right-to-Know Act	
Not listed.	and Community Right-to-Know Law	
Not listed.		
US. Rhode Island RTK		
Not regulated.		
US. California Proposition	65	
•	sition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance	
Not listed.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Yes



507465 MYSORE WOOD

Revision Date: 04-11-2016 Version # 01 Page 12 of 12 Print Date: 04-11-2016

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION			
Issue date	04-11-2016		
Revision date	04-11-2016		
Version #	01		
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0		
Disclaimer	Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.		