SDS Type: GHS / OSHA

Product: Neroli

Product#: 194981 Page 1 of 8 2014-01-29 SKU#:

Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Neroli Product/Sales No: 194981

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the saftey data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA

734-261-5531 Fax 734-261-5571

wellingtonfragrance.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International (CHEMTEL #MIS 0000533)

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Aquatic Acute Toxicity, Category 2 Eye Damage/Eye Irritation, Category 1

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid Acute Dermal/Eye 12: Causes skin irritation. 16: Causes eye irritation.

Acute Inhalation 24 : Causes respiratory tract irritation.

25 : Inhalation at high levels may cause: headache, anesthesia, tremors, labored

breathing, hypothermia, lethargy, ataxia.

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver,

stomach, brain, tongue, mucous membranes, musculo-skeletal system.

DOC ID: 41666.993928.1067848

SDS Type: GHS / OSHA

Safety Data Sheet

DOC ID: 41666.993928.1067848

Product: Neroli

Product#: **194981** Page 2 of 8 SKU#: **ner** 2014-01-29

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger, Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep	cool
-----------	------

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT
	induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli
Product#: 194981
SKU#: ner

Page 3 of 8 2014-01-29

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H319	12, 26		
Linalool						
60-12-8	200-456-2	10 - 20 %	H302; H313; H316; H319	11, 15, 3		
phenethy	alcohol					
8016-44-2	277-143-2	10 - 20 %	H227; H315; H411	12, 16, 31		
ŭ	Paraguay oil					
68647-72-3	232-433-8	5 - 10 %	H226; H304; H315; H317; H410	12, 3, 31		
	antium var. dulc			40.004		
8008-57-9	232-433-8	5 - 10 %	H226; H304; H315; H410	12, 3, 31		
	antium dulcis (O	= :	11007, 11045, 11040			
115-95-7	204-116-4	5 - 10 %	H227; H315; H319			
Linalyl ac 140-11-4	205-399-7	5 - 10 %	H227; H303; H316	15, 25, 26, 31, 39		
Benzyl ad		3 - 10 /6	11227, 11303, 11310	15, 25, 20, 51, 59		
98-55-5	202-680-6	5 - 10 %	H227; H303; H315; H319	11, 15, 23		
alpha-Ter		0 10 70	11221, 11000, 11010, 11010	11, 10, 20		
134-20-3	205-132-4	2 - 5 %	H303; H316; H319	11, 15		
Methyl an			, ,	,		
106-24-1	203-377-1	2 - 5 %	H303; H315	11, 15, 31		
Geraniol						
100-51-6	202-859-9	2 - 5 %	H302; H313; H319; H332	11, 15, 23, 25, 31		
Benzyl Al	cohol					
8007-35-0	232-357-5	2 - 5 %	H316; H411	11		
Terpineol	acetate					
127-91-3	204-872-5	2 - 5 %	H226; H304; H315; H317	11, 15, 24, 25, 31		
ß-Pinene						
93-04-9	202-213-6	2 - 5 %	H302	3		
2-Methoxynaphthalene (beta-Naphthyl methyl ether, Nerolin, Yara Yara)						
105-87-3	203-341-5	2 - 5 %	H315; H317; H412	11, 15		
Geranyl a		0 50/	11040			
89-43-0	201-908-1	2 - 5 %	H316			
106-25-2	itronellal-metnyl 203-378-7	anthranilate (Sch 1 - 2 %	лл <i>base)</i> Н303; Н315; Н317; Н319	15		
Nerol	200-310 - 1	1 - ∠ /0	11000, 11010, 11017, 11019	IJ		
7212-44-4	230-597-5	1 - 2 %	H316; H319; H410			
	edecatrien-3-ol, 3					
.,0,.0		,.,				

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli Product#: 194981

Product#: **194981** Page 4 of 8 SKU#: **ner** 2014-01-29

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
93-18-5	202-226-7	1 - 2 %	H303; H315; H319; H411	11, 15
beta-Nap	hthyl ethyl ethei	(Nerolin Brom	elia)	
107-75-5	203-518-7	1 - 2 %	H317; H319	11, 15, 31
Hydroxyd	citronellal			
106-22-9 Citronello	203-375-0 ol	1 - 2 %	H303; H313; H315; H317; H319	11, 15

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 17.46

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli

 Product#:
 194981
 Page 5 of 8

 SKU#:
 ner
 2014-01-29

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component		ACGIH TWA ppm	OSHA TWA ppm	OSHA n STEL ppm	
140-11-4	Benzyl acetate	10			
127-91-3	ß-Pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Flashpoint:

150 F (65.56 C)

Auto flammability:

Not determined

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli Product#: 194981

Product#: **194981** Page 6 of 8 SKU#: **ner** 2014-01-29

Explosive Properties: None Expected

Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.2699

 %VOC:
 33.4002

 Specific Gravity @ 25 C:
 0.9290

 Density @ 25 C:
 0.9260

 Refractive Index @ 25 C:
 1.4870

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute toxicity - Oral (LD50: 3,497.85) May be harmful if swallowed

Acute toxicity - Dermal (LD50: 2,582.56) May be harmful in contact with skin

Acute toxicity - Inhalation (LC50: 29.10) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Respiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli Product#: 194981

 Product#:
 194981
 Page 7 of 8

 SKU#:
 ner
 2014-01-29

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class	Pack Group - Not Dangerous	Sub Risk	UN-nr.
Chemicals NOI	Not Regulated	- Not Dangerous	Goods		
ADR/RID (International Road	ı/Raii)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
` ,					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning No Warning required

Canadian Regulations:

DSL / NDSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H303 : May be harmful if swallowed

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1067848

Product: Neroli

Product#: **194981** Page 8 of 8 SKU#: **ner** 2014-01-29

H304 : May be fatal if swallowed and enters airways H313 : May be harmful in contact with skin

H315 : Causes skin irritation H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H332 : Harmful if inhaled H410 : Very toxic to aquatic life with long lasting effects

H411 : Toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(8.23) Aquatic Acute Toxicity, Category 2 (4.77) Eye Damage/Eye Irritation, Category 1 (1.73) Aspiration Hazard, Category 1 (6.29) Skin Corrosion/Irritation, Category 2

(2.85) Sensitization, Skin, Category 1B (6.94) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Welling holds no responsibility. This document is not intended for quality assurance purposes.