DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200 SKU#: pep

Page 1 of 7 2014-01-29

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Jack Frost

Product/Sales No: 114200

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the saftey data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA 734-261-5531 Fax 734-261-5571 wellingtonfragrance.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International (CHEMTEL #MIS 0000533)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Aquatic Acute Toxicity, Category 2	:
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 3	H331: Toxic if inhaled
Aquatic Chronic Toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation.
	15 : May cause eye irritation.
Acute Oral	3 : May be harmful if swallowed .
Genotoxicity	36 : Suspected of causing genetic defects
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: brain, central nervous system.
	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200 SKU#: pep

Page 2 of 7 2014-01-29

Hazard pictograms



Signal Word: Danger, Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233	Keep container tightly closed
P264	Wash hands thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# EC#	Conc.		
Ingredient	ent	Range	GHS Classification

OSHA Classification

DOC ID: 41666.993928.1013518

		Product: Product#: SKU#:	Jack Frost 114200 pep	Page 3 of 7 2014-01-29
CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
84-66-2	201-550-6	50 - 60 %	H316	
Diethyl ph	thalate			
8050-15-5	232-476-2	10 - 20 %	H412	31
Methyl es	ter of rosin (par	tially hydrogena	ited)	
120-51-4	204-402-9	10 - 20 %	H302; H313; H411	28, 3
Benzyl Be	nzoate			
121-33-5	204-465-2	5 - 10 %	H303; H319	31
Vanillin				
121-32-4	204-464-7	2 - 5 %	H303; H320	
Ethyl vani	llin			
8006-90-4	282-015-4	2 - 5 %	H227; H303; H315; H411	11, 15, 26, 31
Mentha pi	perita (Pepperr	mint) oil		
15356-70-4	239-388-3	2 - 5 %	H227; H303; H315; H319	
Menthol ra	acemic			
14073-97-3	237-926-1	1 - 2 %	H227; H303; H315; H317	26, 3, 36
I-Menthon	е			
68917-18-0	290-058-5	1 - 2 %	H227; H302; H315; H411	
Mentha ar	vensis leaf oil			
See Section 1	6 for full text of	GHS classificat	ion codes	

Total Hydrocarbon Content (% w/w) = 0.18

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical a	attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5.Fire-Fighting measures5.1Extinguishing media		
Suitable:	Carbon dioxide (CO2) Dry chemical Foam	

- Suitable:Carbon dioxide (CO2), Dry chemical, FoamUnsuitableDo not use a direct water jet on burning material
- 5.2 Special hazards arising from the substance or mixture

DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200

SKU#: pep

Page 4 of 7 2014-01-29

During fire fighting:

Water may be ineffective

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure L	_imits:
------------	---------

Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
84-66-2	Diethyl phthalate	5

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200 SKU#: pep

Page 5 of 7 2014-01-29

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Colorless to Yellow Tint
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint:	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0083
%VOC:	1
Specific Gravity @ 25 C:	1.0945
Density @ 25 C:	1.0915
Refractive Index @ 25 C:	1.5135
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information	
11.1 Toxicological Effects	
Acute toxicity - Oral	(LD50: 4,310.34) May be harmful if swallowed
Acute toxicity - Dermal	(LD50: 4,950.50) May be harmful in contact with skin
Acute toxicity - Inhalation	(LC50: 6.94) Toxic if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200 SKU#: pep

Page 6 of 7	7
2014-01-29	9

Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk)	Class Not Regulated	Pack Group d - Not Dangerou	Sub Risk s Goods	UN-nr.
Chemicals NOI ADR/RID (International Road/Rail) Chemicals NOI	Not Regulated	d - Not Dangerou	s Goods	
IATA (Air Cargo) Chemicals NOI	Not Regulated	d - Not Dangerou	s Goods	
IMDG (Sea) Chemicals NOI	Not Regulated	d - Not Dangerou	s Goods	

SDS Type: GHS / OSHA

DOC ID: 41666.993928.1013518

Product: Jack Frost Product#: 114200 SKU#: pep

Page 7 of 7 2014-01-29

15. Regulatory Information	
U.S. Federal Regulations:	
TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
84-66-2 201-550-6 50 - 60 %	Diethyl phthalate
U.S. State Regulations:	
California Proposition 65 Warning	No Warning required
Canadian Regulations:	
DSL / NDSL	100.00% of the components are listed or exempt.
16. Other Information	

GHS H-Statements referred to under section 3

- H227 : Combustible liquid
- H303 : May be harmful if swallowed
- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(4.58) Aquatic Acute Toxicity, Category 2
(1.00) Sensitization, Skin, Category 1B
(6.28) Aquatic Chronic Toxicity, Category 3

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Welling holds no responsibility. This document is not intended for quality assurance purposes.

H302 : Harmful if swallowed
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H319 : Causes serious eye irritation
H411 : Toxic to aquatic life with long lasting effects

(TFV) Risk(6.75) Skin Corrosion/Irritation, Category 3(1.25) Eye Damage/Eye Irritation, Category 2A