SDS Type: GHS / OSHA

Safety Data Sheet

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 1 of 7 SKU#: **\$a** 2014-01-29

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Sandalwood

Product/Sales No: 81748

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the saftey data sheet

Wellington Fragrance 33306 Glendale St. Livonia, MI 48150 USA

734-261-5531 FAX 734-261-5571 www.wellingtonfragrance.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International (CHEMTEL #MIS 0000533)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Aquatic Acute Toxicity, Category 2 :

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 3 H331: Toxic if inhaled

Carcinogenicity, Category 2 H351: Suspected of causing cancer

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 11 : May cause skin irritation.
15 : May cause eye irritation.

19: May cause photo-induced skin irritation.

Acute Oral 3 : May be harmful if swallowed .

Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

bone marrow, thyroid.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver,

bone marrow, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

SDS Type: GHS / OSHA

Safety Data Sheet

DOC ID: 41203.463102.482065

Product: **Sandalwood**

Product#: 81748 Page 2 of 7 SKU#: 2014-01-29

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger, Warning

Hazard statments

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Resp

IF ON SKIN: Wash with soap and water
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF exposed or concerned: Get medical advice/attention
Call a POISON CENTER or doctor/physician
Call a POISON CENTER or doctor/physician if you feel unwell
If skin irritation or a rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse
Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients 3.

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

SDS Type: GHS / OSHA

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 3 of 7 SKU#: **sa** 2014-01-29

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
84-66-2	201-550-6	60 - 70 %	H316	
Diethyl pl	hthalate			
120-51-4	204-402-9	10 - 20 %	H302; H313; H411	28, 3
Benzyl Be	enzoate			
8050-15-5	232-476-2	10 - 20 %	H412	31
Methyl es	ster of rosin (par	tially hydrogenat	ed)	
66068-84-6	266-100-3	2 - 5 %	H315; H411	11, 15
Isocamph	nenyl cyclohexai	nol (mixed isome	ers)	
32210-23-4	250-954-9	1 - 2 %	H303; H316; H317; H411	11, 15
4-tert-But	ylcyclohexyl ace	etate		
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	11, 15, 3
phenethy	l alcohol			
127-51-5	204-846-3	1 - 2 %	H315; H317; H320; H411	11, 15, 19, 26, 28, 31
a-Isometl	hyl ionone			
81-14-1	201-328-9	0.1 - 1.0 %	H316; H351; H410	11, 15
Musk ket	one			
See Section 1	16 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.18

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

SDS Type: GHS / OSHA

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 4 of 7 SKU#: **sa** 2014-01-29

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

84-66-2 Diethyl phthalate 5

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

SDS Type: GHS / OSHA

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 5 of 7 SKU#: **sa** 2014-01-29

Color: Pale Yellow to Amber Yellow

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Flashpoint:

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0036

 %VOC:
 0.6311

 Specific Gravity @ 25 C:
 1.0775

 Density @ 25 C:
 1.0745

 Refractive Index @ 25 C:
 1.5065

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute toxicity - Oral (LD50: 4,889.84) May be harmful if swallowed

Acute toxicity - Dermal (LD50: 4,430.98) May be harmful in contact with skin

Acute toxicity - Inhalation(LC50: 6.82) Toxic if inhaledSkin corrosion / irritationCauses mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

SDS Type: GHS / OSHA

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 6 of 7 SKU#: **sa** 2014-01-29

Aspiration hazard

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.	
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

04.00 0 004.550.0 00 70.0/ Biothylabthalata

84-66-2 201-550-6 60 - 70 % Diethyl phthalate

U.S. State Regulations:

SDS Type: GHS / OSHA

DOC ID: 41203.463102.482065

Product: Sandalwood

Product#: **81748** Page 7 of 7 SKU#: **sa** 2014-01-29

California Proposition 65 Warning

No Warning required

Canadian Regulations:

DSL / NDSL 100.06% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H302 : Harmful if swallowed H303 : May be harmful if swallowed

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation

H351 : Suspected of causing cancer H410 : Very toxic to aquatic life with long lasting effects H411 : Toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(6.12) Aquatic Acute Toxicity, Category 2 (7.81) Skin Corrosion/Irritation, Category 3

(1.66) Sensitization, Skin, Category 1B (6.00) Carcinogenicity, Category 2

(2.05) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to Wellington Fragrance at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Wellington Fragrance holds no responsibility. This document is not intended for quality assurance purposes.