

Product

ISO E SUPER

Print Date

11/25/2021

Page 1 (11)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Cust. Material ISO E SUPER 00098663

SDS Number

R00000225033

Product Use Description

Fragrance Ingredient

Company

IFF Inc.

600 Highway 36 Hazlet NJ 07730

Telephone

(732) 264-4500

Telefax

(732) 335-2551

Emergency telephone number

+1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin irritation, Category 2

Skin sensitisation, Sub-category 1B

GHS-Labelling

Symbol(s)

(!)

Signal word

Warning

Hazard statements

: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

Precautionary statements

: P280: Wear protective gloves.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Carcinogenicity:

Version

: 6

Revision Date

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 2 (11)

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.
Ethanone, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	68155-66-8, 54464-57-2, 68155-67-9
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation

: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Skin contact

: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Eye contact

Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion

: Rinse mouth with water and obtain medical advice.

Notes to physician

Risks

Causes skin irritation.

May cause an allergic skin reaction.

Version

Revision Date

6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 3 (11)

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point

273 °F (134 °C)

Fire fighting

Suitable extinguishing media

Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for

firefighters

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use

water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

Environmental precautions

Keep away from drains, surface- and groundwater and soil.

Methods for containment / Methods for cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling

: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact,

wash any exposed skill infinitediately after any ent

Version

Revision Date

: 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 4 (11)

before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion

Keep away from ignition sources and naked flame.

Requirements for storage areas and containers

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures

Engineering measures

: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection

: Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hand protection

: Avoid skin contact. Use chemically resistant gloves.

Respiratory protection

: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation,

Version

Revision Date

: 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500 Telefax: +17323352551



Product

ISO E SUPER

Print Date

11/25/2021

Page 5 (11)

including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing

Version Revision Date 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 6 (11)

employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state

: liquid at 68 °F (20 °C) (1,013.00 hPa (1,013 hPa))

Appearance

: CLEAR LIQUID

Colour

: pale yellow

Odour

: conforms to standard

Safety data

Flash point

: 273 °F (134 °C)

Auto-ignition temperature

: 500 °F (260 °C)

at 1,013.00 hPa (1,013 hPa)

Method: Tested according to Annex V of Directive 67/548/EEC.

Boiling point

: 554.72 °F (290.40 °C)

at 1,013.00 hPa (1,013 hPa)

Note: Calculated

Vapour pressure

: .00 hPa (0.00233 hPa)

at 73 °F (23 °C) Method: Purge & Trap

Relative density (20 °C)

Telephone: +17322644500

: 0.9611 - 0.9670

Method: ISO 279

Version

Revision Date

: 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

ISO E SUPER

Print Date

11/25/2021

Page 7 (11)

Water solubility

: 0.00268 g/l

at 68 °F (20 °C)

Method: OECD Test Guideline 105

Partition coefficient: n-octanol/water : log Pow: 5.650

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid

: Remarks: Direct sources of heat.

Chemical stability

: Remarks: Presents no significant reactivity hazard, by itself or in

contact with water. Avoid contact with strong acids, alkali or

oxidizing agents.

Hazardous decomposition products

: Note: Carbon monoxide and unidentified organic compounds may

be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (Component)

Component: 68155-66-8

LD50 Rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: IFF

Acute dermal toxicity

: Component: 68155-66-8

(Component)

LD50 Rat

Dose: > 5,000 mg/kg

Method: OECD Test Guideline 402

Skin irritation (Component)

Component: 68155-66-8

human

Result: Skin irritation Method: OECD 439

Eye irritation(Component)

Component: 68155-66-8

Result: No eye irritation

Version

: 6

Revision Date

: 11/24/2021

600 Highway 36 Hazlet NJ 07730

600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 8 (11)

Method: QSAR

Sensitisation (Component)

Component: 68155-66-8

LLNA Mouse

Result: Causes sensitisation.

Method: OECD 429

Repeated dose

toxicity(Component)

Component: 68155-66-8

OralRat

Number of exposures: 1x /day

NOEL: 150 mg/kg

Method: OECD Test Guideline 407

Remarks: Repeated dose (28 days) toxicity (oral)

Teratogenicity (Component)

Component: 68155-66-8

Application Route: Oral

Rat

Number of exposures: 1x /day

SECTION 12. ECOLOGICAL INFORMATION

Component:

68155-66-8

Tetramethyl

Acetyloctahydro

naphthalenes

Toxicity to fish:

semi-static test LC50

Species: Lepomis macrochirus (Bluegill sunfish)

Dose: 1.3 mg/l Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates:

semi-static test EC50

Species: Daphnia magna (Water flea)

Dose: 1.38 mg/l Exposure time: 48 h

Method: OECD Test Guideline 202

IFF

Toxicity to algae: static testEC50

Species: Desmodesmus subspicatus (green algae)

Dose: 2.6 mg/l

Version

Revision Date

Telephone: +17322644500

6

11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

ISO E SUPER

Print Date

11/25/2021

Page 9 (11)

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria: static test NOEC

Species:

Dose: > 100 mg/l Exposure time: 42 h Method: OECD 301 F

<03EHS L TEXT(CED-N12.00224460)>
<03EHS L TEXT(CED-H11.00000120)>:

semi-static test NOEC

Species: Danio rerio (zebra fish) Concentration: .16 mg/l Exposure time: 30 d

Method: OECD 210 <03EHS L TEXT(CED-H12.00200010)> <03EHS L TEXT(CED-H11.00000120)>:

NOEC

Species: Daphnia magna (Water flea)

Concentration: .02 mg/l Exposure time: 21 d Method: OECD 211

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging

Place material into sealed containers and dispose of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

UN number

: 3082

Description of the goods

: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S.

Version

Revision Date

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 10 (11)

Class

(Octahydro Tetramethyl Naphthalenyl Ethanone) : 9

Packing group

-: III

ICAO-Labels

: 9

IMDG

UN number

: 3082

Description of the goods

: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S.

(Octahydro Tetramethyl Naphthalenyl Ethanone)

Class

: 9 : III

Packing group IMDG-Labels EmSNumber 1

: 9 : F-A : S-F

EmSNumber 2 Marine pollutant

yes

(Octahydro Tetramethyl Naphthalenyl Ethanone)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards

: Skin corrosion or irritation

Respiratory or skin sensitisation

Reportable Quantity

:

HMIS Classification

: Health hazard: 2

Chronic Health Hazard: /

Flammability: 1

Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

Version

Revision Date

: 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

ISO E SUPER

Print Date

11/25/2021

Page 11 (11)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date 6

: 11/24/2021

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500