

501131 ORCINYL

Revision Date: 12-02-2015 Page 1 of 11

Version # 01 Print Date: 12-02-2015

1. IDENTIFICATION

Product Description: ORCINYL CAS # 3209-13-0

Other means of identification

Vigon Item # 501131

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, Inc. INFOTRAC (ACCT# 78928);

For information call: 570-476-6300

Web Site: www.vigon.com

2. HAZARD(S) IDENTIFICATION

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement

H302 Harmful if swallowed.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P330 Rinse mouth.

Storage



501131 ORCINYL

Page 2 of 11 Revision Date: 12-02-2015

Version # 01 Print Date: 12-02-2015

> P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

WARNING! May form combustible dust concentrations in air. Avoid breathing dust.

Supplemental information 95% of the mixture consists of component(s) of unknown acute oral toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PHENOLS			90 - 100
TOLUENE	PHENYLMETHANE	108-88-3	0.1< 1
	METHACIDE		
	METHYLBENZOL		
	Methylbenzene		
Other components below re	eportable levels		3 - < 5

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special treatment

needed

Not available.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and

in the presence of an ignition source is a potential dust explosion hazard.



501131 ORCINYL

Revision Date: 12-02-2015 Page 3 of 11

Version # 01 Print Date: 12-02-2015

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Sweep up and place in a clearly labeled container for chemical waste. Wash contaminated area with water. Use only non-sparking tools. Avoid the generation of dusts during clean-up.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges when there is a risk of dust explosion. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Assume that this material is capable of producing a dust explosion if ignited as a dust cloud.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Туре	Value	
TOLUENE (CAS 108-88-3)	Ceiling	300 ppm	
	TWA	200 ppm	



501131 ORCINYL

Revision Date: 12-02-2015 Page 4 of 11

Version # 01 Print Date: 12-02-2015

US. ACGIH Threshold Limit Values

Components	Туре	Value	
TOLUENE (CAS 108-88-3)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Chemi	cal Hazards		
Components	Туре	Value	
TOLUENE (CAS 108-88-3)	REL	375 mg/m3	
		100 ppm	
	STEL	560 mg/m3	
		150 ppm	
	TWA	375 mg/m3	
		100 ppm	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
TOLUENE (CAS 108-88-3)	0.3 mg/g	o-Cresol, with hydrolysis	Creatinine in urine	*
	0.03 mg/l	Toluene	Urine	*
	0.02 mg/l	Toluene	Blood	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

TOLUENE; TOLUOL (CAS 108-88-3)

Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

TOLUENE (CAS 108-88-3) Skin designation applies.

Appropriate engineering controls

Use only appropriately classified electrical equipment and powered industrial trucks. Use explosion-proof ventilation equipment to stay below exposure limits. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic dust cartridge. Dust mask.



501131 ORCINYL

Revision Date: 12-02-2015 Page 5 of 11

Version # 01 Print Date: 12-02-2015

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such

as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet
Physical state Powder\Crystal.

Form Powder. Crystalline powder.

Color Refer to Spec Sheet

Odor Characteristic.
Odor threshold Not available.
pH Not available.
Melting point/freezing point 140 °F (60 °C)

Initial boiling point and boiling 491 °F (60 °C)

range

Flash point > 200.0 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0 kPa at 25 °C

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Molecular formula C8H10O2
Molecular weight 138.17 g/mol



501131 ORCINYL

Revision Date: 12-02-2015 Page 6 of 11

Version # 01 Print Date: 12-02-2015

10. STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, sparks and open flame. Avoid temperatures exceeding the flash point.

Minimize dust generation and accumulation. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Irritating to respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product Species Test Results

3-METHOXY-5-CRESOL (CAS 3209-13-0)

Acute

Oral

LD50 Rat > 1000 mg/kg

Components Species Test Results

TOLUENE (CAS 108-88-3)

Acute

Dermal

LD50 Rabbit 12124 mg/kg

14.1 ml/kg

Inhalation

LC50 Mouse 5320 mg/l, 8 Hours

400 mg/l, 24 Hours

Rat 26700 mg/l, 1 Hours

12200 mg/l, 2 Hours

8000 mg/l, 4 Hours



501131 ORCINYL

Revision Date: 12-02-2015 Page 7 of 11

Version # 01 Print Date: 12-02-2015

Components	Species	Test Results
Oral		
LD50	Rat	2.6 g/kg
Other		
LD50	Mouse	59 mg/kg
	Rat	1332 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not sensitizing

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

TOLUENE (CAS 108-88-3)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

TOLUENE (CAS 108-88-3) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

TOLUENE (CAS 108-88-3)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 5.46 - 9.83 mg/l, 48 hours



501131 ORCINYL

Revision Date: 12-02-2015 Page 8 of 11

Print Date: 12-02-2015 Version # 01

Components		Species	Test Results	
Fish	LC50	Coho salmon,silver salmon	8.11 mg/l, 96 hours	
		(Oncorhynchus kisutch)		

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

TOLUENE 2.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

Not established.

Hazardous waste code

Waste from residues / unused

Local disposal regulations

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

Not regulated as dangerous goods.

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.



501131 ORCINYL

Revision Date: 12-02-2015 Page 9 of 11

Version # 01 Print Date: 12-02-2015

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

TOLUENE (CAS 108-88-3) Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

TOLUENE (CAS 108-88-3) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

TOLUENE (CAS 108-88-3) Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. **TOLUENE** 108-88-3 0.1< 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

TOLUENE (CAS 108-88-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical

Code Number

TOLUENE (CAS 108-88-3) 6594

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

TOLUENE (CAS 108-88-3)

35 %WV



501131 ORCINYL

Revision Date: 12-02-2015 Page 10 of 11

Version # 01 Print Date: 12-02-2015

DEA Exempt Chemical Mixtures Code Number

TOLUENE (CAS 108-88-3) 594

US state regulations

US. Massachusetts RTK - Substance List

TOLUENE (CAS 108-88-3)

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

TOLUENE (CAS 108-88-3) Skin designation applies.

US. New Jersey Worker and Community Right-to-Know Act

TOLUENE (CAS 108-88-3)

US. Pennsylvania Worker and Community Right-to-Know Law

TOLUENE (CAS 108-88-3)

US. Rhode Island RTK

TOLUENE (CAS 108-88-3)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

TOLUENE (CAS 108-88-3)

US - California Proposition 65 - CRT: Listed date/Developmental toxin

TOLUENE (CAS 108-88-3) Listed: January 1, 1991 Developmental toxin.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

TOLUENE (CAS 108-88-3) Listed: August 7, 2009 Female reproductive toxin.

International Inventories

Country(s) or region	Inventory name On inventory	/ (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 12-02-2015

 Revision date
 12-02-2015



501131 ORCINYL

Revision Date: 12-02-2015 Page 11 of 11

Version # 01 Print Date: 12-02-2015

Version # 01

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS® ratings Health: 1*

Flammability: 1 Physical hazard: 0

Disclaimer Vigon cannot anticipate all conditions under which this information and its product, or the products

of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.