Product

iff

PEOMOSA

Print Date

02/24/2022

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Hazlet NJ 07730

Product name	:	PEOMOSA
Cust. Material	:	00161333
SDS Number	:	R00000111239
Product Use Description	:	Fragrance Ingredient
Company	:	IFF Inc.
		600 Highway 36

Telephone	:	(732) 264-4500
Telefax	:	(732) 335-2551
Emergency telephone	:	+1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Acute toxicity, Category 4, Oral Serious eye damage, Category 1

GHS-Labeling

Symbol(s)

Symbol(s)	
Signal Word	: Danger
Hazard Statements	: H302: Harmful if swallowed. H318: Causes serious eye damage.
Precautionary Statements	 P280: Wear eye protection/ face protection. P301 + P312 + P330: IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
Version Revision Date	: 5 : 02/23/2022
IFF Inc.	IFF Inc.

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551

600 Highway 36 Hazlet NJ 07730

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	PEOMOSA		
Print Date	02/24/2022		Page 2 (9)
	to do. Conti doctor.	nue rinsing. Immediately call a POISON	CENTER/

Carcinogenicity:

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients	
Component	CAS-No.
Benzeneethanol, 2-methyl-	19819-98-8

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.			
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Eye contact		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Ingestion	÷	Rinse mouth with water and obtain medical advice.			
Notes to physician					
Risks	·	Harmful if swallowed.			
Version Revision Date		: 5 : 02/23/2022			
IFF Inc. 600 Highway 36 Hazlet NJ 07730		IFF Inc. 600 Highway 36 Hazlet NJ 07730			
Telephone:	+17322644500	Telefax: +17323352551			

P	rod	uct	
	100	uuu	

PEOMOSA

Print Date

02/24/2022

Page 3 (9)

Causes serious eye damage.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties			
Flash point	:	201.20 °F (94.00 °C)	
Fire fighting			
Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.	
Protective equipment and precautions for firefighters			
Special protective equipment for fire-fighters	:	Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Version Revision Date : 5 : 02/23/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	PEOMOSA	
Print Date	02/24/2022 Pa	ge 4 (9)
Handling	: Avoid excessive inhalation of concentrated vapors. Follow manufacturing practices for housekeeping and personal hyg Wash any exposed skin immediately after any chemical con before breaks and meals, and at the end of each work period Contaminated clothing and shoes should be thoroughly clear before re-use.	giene. ntact, d.
	If appropriate, procedures used during the handling of this is should also be used when cleaning equipment or removing chemicals from tanks or other containers, especially when so hot water is used, as this may increase vapor concentrations workplace air. Where chemicals are openly handled, access restricted to properly trained employees. Keep all heated processes at the lowest necessary temperate order to minimize emissions of volatile chemicals into the a	residual steam or s in the should be ure in
Advice on protection against fir and explosion	e : Keep away from ignition sources and naked flame.	
Requirements for storage areas a containers	and : Store in a cool, dry, ventilated area away from heat sources containers upright and tightly closed when not in use.	. Keep

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Version Revision Date	: 5 : 02/23/2022
IFF Inc. 600 Highway 36 Hazlet NJ 07730	IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	PEOMOSA		
Print Date	02/24/2022	Page	5 (9)
Skin and body protection	: Choose body protection in relation to its type, to the co and amount of dangerous substances, and to the specif		
Respiratory protection	: Use local exhaust ventilation around open tanks and or sources of potential exposures in order to avoid excess including places where this material is openly weighed In addition, use general dilution ventilation of the wor eliminate or reduce possible worker exposures. No respiratory protection is required during normal op workplace where engineering controls such as adequat etc. are sufficient.	sive inha d or mea k area to perations te ventila	llation, sured.
	If engineering controls and safe work practices are not approved, properly fitted respirator with organic vapor canisters and particulate filters should be used:		
	 a) while engineering controls and appropriate safe wor and/or procedures are being implemented; or b) during short term maintenance procedures when en- controls are not in normal operation or are not sufficie c) if normal operational workplace vapor concentration increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are to reduce airborne concentrations below an established exposure limit. 	gineerin nt; or n in the a not suff	g iir is icient
Hygiene measures	 To the extent deemed appropriate, implement pre-place regularly scheduled ascertainment of symptoms and sp testing of lung function for workers who are regularly this material. To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential exp ensure the continuing effectiveness of engineering con operational practices to minimize exposure. 	pirometr exposed air samp could be posures a	y 1 to pling e and to
Protective measures	: In December 2003, the National Institute for Occupati and Health ("NIOSH") published an Alert on preventi		fety
Version Revision Date	: 5 : 02/23/2022	· · ·	
IFF Inc. 600 Highway 36 Hazlet NJ 07730	IFF Inc. 600 Highway 36 Hazlet NJ 07730		

Telephone: +17322644500

SAFETY DATA SHEET **INTERNATIONAL FLAVORS & FRAGRANCES**

Product	PEOMOSA		
Print Date	02/24/2022		Page 6 (9)
	disease in workers who us Number 2004-110]. In August 2004, the Unite Association (FEMA) issue the Flavor Manufacturing Both of these reports prov employee exposure and fo The recommendations in t use of any chemical in the review both of these repor The report published by F chemicals. If any of these concentration >= 1.0% du chemical(s) will be identify	ed States Flavor and Extra ed a report entitled "Resp Workplace". vide recommendations for or medical surveillance in these reports are generally e workplace and you are s rts. TEMA also contains a list chemicals are present in the to an intentional addition	act Manufacturers iratory Safety in reducing the workplace. y applicable to the trongly urged to of "high priority" this product at a on by IFF, the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

A	р	p	ea	ra	n	C	e	
---	---	---	----	----	---	---	---	--

Physical state Appearance Color		liquid CLEAR LIQUID colorless
Odor	:	conforms to standard
Safety data		
Flash point	:	201.20 °F (94.00 °C)
Vapor pressure	:	< .02 hPa (< 0.02 hPa) Note: Calculated
Relative density (20 °C)	:	1.0080 - 1.0150
Partition coefficient: n-octanol/water	:	log Pow: 2.110

SECTION 10. STABILITY AND REACTIVITY

Version **Revision Date** : 5 : 02/23/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product	PEOMOSA					
Print Date	02/24	/20	022	Page	7	(9)
Conditions to avoid		:	Remarks: Direct sources of heat.			
Chemical stability		:	Remarks: Presents no significant reactivity hazard, b contact with water. Avoid contact with strong acids, oxidizing agents.		in	
Hazardous decomposition prod	ucts	:	Note: Carbon monoxide and unidentified organic con be formed during combustion.	mpounds 1	may	/

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 1,609 mg/kg Method: Calculation method
Acute oral toxicity (Component)	: Component: 19819-98-8 LD50 Dose: 1,609 mg/kg
Skin irritation (Component)	: Component: 19819-98-8 human Result: No skin irritation Method: closed patch test
Sensitization (Component)	: Component: 19819-98-8 human Result: Did not cause sensitization on laboratory animals. Test substance: 6.2% in ethanol
Repeated dose toxicity(Component)	: Component: 19819-98-8

SECTION 12. ECOLOGICAL INFORMATION

Version Revision Date : 5 : 02/23/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

P	rod	luct	
	luu	uuu	

PEOMOSA

Print Date

02/24/2022

Page 8 (9)

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging

: Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure) Serious eye damage or eye irritation
Reportable Quantity	:	
HMIS Classification	:	Health Hazard: 1 Chronic Health Hazard: / Flammability: 1 Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

Version Revision Date : 5 : 02/23/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Product	PEOMOSA		
Print Date	02/24/2022	P	age 9 (9)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date

iff

: 5 : 02/23/2022

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730