

Product

TRISAMBER (ELINCS)

Print Date

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

06/10/2020

| Product name IFF Code Cust. Material SDS Number Product Use Description | : : : : | TRISAMBER (ELINCS) 00201116 00201116 R00000494083 Fragrance Ingredient |
|-------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------------------|
| Company | : | IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ |
| Telephone Telefax Emergency telephone number | : : : | +34964470212 +34964473411 +34 964 470 212 |

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin irritation, Category 2 Serious eye damage, Category 1

GHS-Labelling

| Symbol(s) | |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Signal word | : Danger |
| Hazard statements | : H315: Causes skin irritation. H318: Causes serious eye damage. |
| Precautionary statements | : P280: Wear protective gloves/ eye protection/ face protection. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON |
| Version | : 3 |
| Revision Date | : 06/10/2020 |
| IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ | IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ |

Telefax: +34964473411



| Product | TRISAMBER (ELINCS) | | |
|------------|--------------------|------|-------|
| Print Date | 06/10/2020 | Page | 2 (9) |
| | | | |

CENTER/doctor.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Component | CAS-No. |
|----------------------------------------------------------------------------|--------------------------|
| 2H-Indeno[4,5-b] furan, decahydro-2,6,6,7,8,8,-hexamethyl | 338735-71-0, 351343-77-6 |
| Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, methyl ester | 6386-38-5 |

SECTION 4. FIRST AID MEASURES

First aid procedures

| Inhalation | : | Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice. |
|--------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin contact | : | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Eye contact | : | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Ingestion | : | Rinse mouth with water and obtain medical advice. |

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Page 3 (9)

 Product
 TRISAMBER (ELINCS)

 Print Date
 06/10/2020

 SECTION 5. FIREFIGHTING MEASURES

 Flammable properties

| Flash point | : | 201.20 °F (94.00 °C) |
|------------------------------------------------------|---|--------------------------------------------------------------------|
| Fire fighting Suitable extinguishing media | : | Use water spray, dry chemical, carbon dioxide or appropriate foam. |

| • • • | |
|----------------------------------|-------------------------------------------------------------------|
| Special protective equipment for | : Wear NIOSH approved self-contained breathing apparatus and full |
| firefighters | protective clothing when fighting fires involving chemicals. Use |
| | water spray to cool containers exposed to fire. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

Protective equipment and precautions for firefighters

| Personal precautions | : | Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill. |
|------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions | : | Keep away from drains, surface- and groundwater and soil. |
| Methods for containment / Methods for cleaning up | : | Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations. |

SECTION 7. HANDLING AND STORAGE

| Handling | Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version | : 3 |
| Revision Date | : 06/10/2020 |
| IFF Benicarló, S.L. | IFF Benicarló, S.L. |
| Avda. Felipe Klein 2 | Avda. Felipe Klein 2 |
| 12580 BENICARLÓ | 12580 BENICARLÓ |
| Telephone: +34964470212 | Telefax: +34964473411 |

| Product | TRISAMBER (ELINCS) | | | |
|---------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|--------------------------------|
| Print Date | 06/10/2020 | | Page | 4 (9) |
| | | before re-use. If appropriate, procedures used during the handling of should also be used when cleaning equipment or remo- chemicals from tanks or other containers, especially w hot water is used, as this may increase vapor concentr workplace air. Where chemicals are openly handled, a restricted to properly trained employees. Keep all heated processes at the lowest necessary tem- order to minimize emissions of volatile chemicals into | oving resid then stear ations in t access sho perature i | dual n or the ould be |
| Advice on protection against fin and explosion | re : | Keep away from ignition sources and naked flame. | | |
| Requirements for storage areas containers | and : | Store in a cool, dry, ventilated area away from heat so containers upright and tightly closed when not in use. | urces. Ke | ep |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Engineering measures | | |
|-------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineering measures | : | Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material |
| Personal protective equipment | | |
| Eye protection | : | Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur. |
| Hand protection | : | Avoid skin contact. Use chemically resistant gloves. |
| Respiratory protection | : | Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. |
| Version | | : 3 |
| Revision Date | | : 06/10/2020 |

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

iff

IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



SAFETY DATA SHEET **SAFETY DATA SHEET** INTERNATIONAL FLAVORS & FRAGRANCES

| Product | TRISAMBER (ELINCS) | | |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Print Date | 06/10/2020 Page 5 (9) | | |
| | No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. | | |
| | If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: | | |
| | a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit. | | |
| Hygiene measures | To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure. | | |
| Protective measures | In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. | | |
| Version | : 3 | | |
| Revision Date | : 06/10/2020 | | |
| IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ | IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ | | |

Telefax: +34964473411



| Print Date | 06/10/2020 | Page | 6 (9) |
|------------|--------------------|------|-------|
| Product | TRISAMBER (ELINCS) | | |

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| Physical state Appearance Colour | liquidCLEAR LIQUIDcolorless to pale yellow |
|----------------------------------------|--------------------------------------------------------------------------------|
| Odour | : conforms to standard |
| Safety data | |
| Flash point | : 201.20 °F (94.00 °C) |
| Boiling point | : 563.00 °F (295.00 °C) |
| Vapour pressure | : .04 hPa (0.04 hPa) Note: Calculated |
| Relative density (20 °C) | : 0.9300 - 0.9400 |

SECTION 10. STABILITY AND REACTIVITY

| Conditions to avoid | : | Remarks: Direct sources of heat. |
|----------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chemical stability | : | Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents. |
| Hazardous decomposition products | : | Note: Carbon monoxide and unidentified organic compounds may be formed during combustion. |

| Version | |
|----------|------|
| Revision | Date |

: 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product

Print Date

TRISAMBER (ELINCS)

06/10/2020

Page 7 (9)

SECTION 11. TOXICOLOGICAL INFORMATION

| Acute oral toxicity | : | Acute toxicity estimate Dose: 2,213 mg/kg Method: Calculation method |
|--------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity (Component) | : | Component: 338735-71-0 LD50 Rat Dose: > 2,500 mg/kg Remarks: IFF |
| Acute dermal toxicity | : | Acute toxicity estimate Dose: 2,505 mg/kg Method: Calculation method |
| Acute dermal toxicity (Component) | : | Component: 338735-71-0 LD50 Rat Dose: > 2,000 mg/kg |
| Skin irritation (Component) | : | Component: 338735-71-0 Rabbit Result: Skin irritation Exposure time: 4 h |
| Eye irritation(Component) | : | Component: 338735-71-0 Result: Assumed an eye irritant based based on skin irrritation data. Method: On animal welfare grounds the eye irritation test was omitted. |
| Sensitisation (Component) | : | Component: 338735-71-0 human Result: Did not cause sensitisation on laboratory animals. Test substance: 4.0% in ethanol/DEP (75:25) maximisation study Guinea pig Result: Did not cause sensitisation on laboratory animals. Test substance: 75.00% |
| Repeated dose toxicity(Component) | : | Component: 338735-71-0 |

Version **Revision Date** : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product

TRISAMBER (ELINCS)

Print Date

06/10/2020

Page 8 (9)

SECTION 12. ECOLOGICAL INFORMATION

Component: 338735-71-0

TRISAMBER

Toxicity to fish: LC50 Species: Dose: > 0.490 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 Species: Dose: > 0.310 mg/l Exposure time: 48 h

Toxicity to algae: ErC50 Species: Dose: > 1.900 mg/l Exposure time: 72 h

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



| Product | TRISAMBER (ELINCS) | | |
|----------------------------|---------------------------------------------------------------------------|------|-------|
| Print Date | 06/10/2020 | Page | 9 (9) |
| SARA 311/312 Hazards | : Acute Health Hazard | | |
| Reportable Quantity | : | | |
| HMIS Classification | : Health hazard: 1 Flammability: 1 Physical and chemical hazards: 0 | | |

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 3 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411