SAFETY DATA SHEET



1. Identification

Product identifier cis-3-HEXENYL BENZOATE

Other means of identification

BRI Product Code 105

25152-85-6 **CAS** number

3688 **FEMA** number

Synonyms 3-Hexen-1-ol, benzoate, (3Z)- * C-3-Hexenyl benzoate * Z-3-Hexenyl benzoate

Recommended use flavors and fragrances

For Manufacturing Use Only

Recommended restrictions Not for use in Tobacco or Nicotine delivery device applications and/or products.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bedoukian Research US Company name 6 Commerce Drive **Address**

Danbury, CT 06810

United States

1-203-830-4000 Telephone Website www.bedoukian.com

E-mail customerservice@bedoukian.com

Contact person Joseph Bania

Emergency phone number Chemtrec (North America) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Sensitization, skin Category 1B Health hazards

Environmental hazards Hazardous to the aquatic environment, acute

Category 2

hazard

Hazardous to the aquatic environment,

Category 2

long-term hazard Not classified.

Label elements

OSHA defined hazards





Warning Signal word

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. **Hazard statement**

Precautionary statement

Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the Prevention

workplace. Avoid release to the environment. Wear protective gloves.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse. Collect spillage.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with relevant area regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

105 Version #: 06 Revision date: 30-October-2020 Issue date: 16-May-2015

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
cis-3-HEXENYL BENZOATE	3-Hexen-1-ol, benzoate, (3Z)- C-3-Hexenyl benzoate Z-3-Hexenyl benzoate	25152-85-6	100
Stabilizers			
Chemical name	Common name and synonyms	CAS number	%
synthetic alpha tocopherol		10191-41-0	0.1

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important May cause an allergic skin reaction. Dermatitis. Rash.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed **General information**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods General fire hazards Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Material name: cis-3-HEXENYL BENZOATE

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate

ventilation. Wear appropriate personal protective equipment. Avoid release to the environment.

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Recommended Packaging: Glass, Plastic, Aluminum or Phenolic Lined Steel. Store

tightly sealed under inert gas in a cool, well-ventilated area.

8. Exposure controls/personal protection

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Face shield is recommended. Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. **Hand protection**

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

9. Physical and chemical properties

Appearance

Liquid. **Physical state** Color Pale yellow

Odor green, herbaceous and woody odor.

Odor threshold Not available. Not available. Ηq Melting point/freezing point Not available.

Initial boiling point and boiling

range

553.75 °F (289.86 °C) US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

Windows, v 4.11. US EPA, Washington, DC, USA.

230 °F (110 °C) Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

0.002 mmHg at 20°C; US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Vapor pressure

Windows, v 4.11. US EPA, Washington, DC, USA.

7.1 Relative to air: air = 1 Vapor density

Not available. Relative density

Solubility(ies)

Not available. Solubility (water)

Material name: cis-3-HEXENYL BENZOATE

105 Version #: 06 Revision date: 30-October-2020 Issue date: 16-May-2015

4.07 US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US Partition coefficient

EPA, Washington, DC, USA. (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 0.996 - 1.001 g/cm3 **Explosive properties** Not explosive.

Flammability class Combustible IIIB estimated

Molecular formula C13H16O2 204.27 Molecular weight

Not oxidizing. Oxidizing properties

Specific gravity 0.996 - 1.001 at 25°C

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Test Results Product Species

cis-3-HEXENYL BENZOATE (CAS 25152-85-6)

Acute **Dermal**

Liauid

LD50 Rabbit > 5000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Irritation Corrosion - Skin

cis-3-HEXENYL BENZOATE 10 % Patch test, Vehicle Petrolatum.

Result: No irritation observed.

Species: Human Organ: Skin Notes: RIFM

Material name: cis-3-HEXENYL BENZOATE

SDS US

^{*} Estimates for product may be based on additional component data not shown.

Irritation Corrosion - Skin

cis-3-HEXENYL BENZOATE 5000 ma/ka LD50. Irr

5000 mg/kg LD50, Irritation evaluated on day 1 of an LD50 study, 8 animals evaluated. Slight redness in 4, moderate redness in 4, slight edema in 5 and moderate edema in 3.

Result: Irritation noted. Species: Rabbit Organ: Skin

Notes: RIFM

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

cis-3-HEXENYL BENZOATE 10 % Patch test, Vehicle Petrolatum.

Result: Not sensitizing. Species: Human Organ: Skin Notes: RIFM

OECD 429, Calculated EC3: 24%. Vehicle acetone/olive oil

(4:1 v/v)

Result: Sensitization noted.

Species: Mouse

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

cis-3-HEXENYL BENZOATE OECD 471, Strain WP2uvrA with and without metabolic

activation.

Result: Not mutagenic. Species: Escherichia coli

OECD 471, Strains TA 100, TA 1535, TA 1537, TA 98 with

and without metabolic activation.

Result: Not mutagenic.

Species: Salmonella typhimurium

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product		Species	Test Results
cis-3-HEXENYL BENZ	ZOATE (CAS 25152	2-85-6)	
Aquatic			
Acute			
Algae	EC50	Algae	1.3 mg/l, 72 hr
	NOEC	Algae	0.11 mg/l, 72 hr
Crustacea	EC50	Daphnia	1.5 mg/l, 48 hr

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

cis-3-HEXENYL BENZOATE 4.07, US EPA. 2014. Estimation Programs Interface Suite™

for Microsoft® Windows, v 4.11. US EPA, Washington, DC,

USA.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN3082 **UN** number

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (cis-3-HEXENYL BENZOATE)

Class 9 Subsidiary risk Ш **Packing group Environmental hazards** No. 9L

ERG Code

Other information

aircraft

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (cis-3-HEXENYL UN proper shipping name

BENZOATE)

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш

Environmental hazards

Marine pollutant No. F-A, S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Material name: cis-3-HEXENYL BENZOATE

Not established.

105 Version #: 06 Revision date: 30-October-2020 Issue date: 16-May-2015



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances Ye

(PICCS)

Taiwan Toxic Chemical Substances (TCS)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date16-May-2015Revision date30-October-2020

Version # 06

DisclaimerBedoukian Research US cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Disposal

Toxicological Information: Toxicological Property Data

REACH: Registration Substance

Material name: cis-3-HEXENYL BENZOATE