

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Clean Musk SDS-p-7280

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice

Company address: 170 Technology Circle
Scotts Valley
CA 95066
USA

Contact: Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

Company phone: (831)316-7137

1.4 Emergency telephone number

Emergency phone: ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Toxic to Reproduction Category 2
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H361, Suspected of damaging fertility or the unborn child (exposure route).

2.2 Label elements

Signal word: Warning

Hazard statements: H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H361, Suspected of damaging fertility or the unborn child (exposure route).

Precautionary statements: P202, Do not handle until all safety precautions have been read and understood.
P261, Avoid breathing vapour or dust.
P264, Wash hands and other contacted skin thoroughly after handling.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

P272, Contaminated work clothing should not be allowed out of the workplace.
 P280, Wear protective gloves/eye protection/face protection.
 P302/352, IF ON SKIN: Wash with plenty of soap and water.
 P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308/313, IF exposed or concerned: Get medical advice/attention.
 P333/313, If skin irritation or rash occurs: Get medical advice/attention.
 P337/313, If eye irritation persists: Get medical advice/attention.
 P363, Wash contaminated clothing before reuse.
 P405, Store locked up.
 P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
Benzyl alcohol	100-51-6	202-859-9	10-<20%	Acute Tox. 4-Acute Tox. 4-Eye Irrit. 2A; H302-H319-H332
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	5-<10%	Skin Sens. 1B;H317
5-Acetyl-1,1,2,3,3,6-hexamethylindan	15323-35-0	239-360-0	1-<5%	Acute Tox. 4;H302
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	21145-77-7	244-240-6	1-<5%	Acute Tox. 4;H302
Acetyl cedrene	32388-55-9	251-020-3	1-<5%	Skin Sens. 1B;H317
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	904-617-9	1-<5%	Skin Sens. 1B;H317
Isocamphenyl cyclohexanol, mixed isomers	66068-84-6	266-100-3	1-<5%	Skin Irrit. 2;H315
alpha-Hexylcinnamaldehyde	101-86-0	202-983-3	1-<5%	Skin Sens. 1B;H317
p-t-Butyl-alpha-methylhydrocinnamic aldehyde	80-54-6	201-289-8	1-<5%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Repr. 2;H227-H302-H315-H317-H361

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

Name	CAS	EC	%
Diethyl phthalate	84-66-2	201-550-6	61.00%

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child (exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Not determined

Odour: Not determined

pH: Not determined

Initial boiling point / range: Not determined

Flash point: > 93.5 °C

Vapour pressure: Not determined

Relative density: 1.0655

Solubility(ies): Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child (exposure route).

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000
Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available
Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
5-Acetyl-1,1,2,3,3,6-hexamethylindan	15323-35-0	239-360-0	800	Not available	Not available	Not available
6-Acetyl-1,1,2,4,4,7-hexamethyltetraline	21145-77-7	244-240-6	1000	Not available	Not available	Not available
Benzyl alcohol	100-51-6	202-859-9	1620	2500	11	Vapour
p-t-Butyl-alpha-methylhydrocinnamic aldehyde	80-54-6	201-289-8	1390	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, 5-Acetyl-1,1,2,3,3,6-hexamethylindan)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

- 14.3 Transport hazard class(es):** 9
Sub Risk: -
- 14.4. Packing Group:** III
- 14.5 Environmental hazards:** This is an environmentally hazardous substance.
- 14.6 Special precautions for user:** None additional
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**
 Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EDI 2=90.91% SS 1=16.67% REP 2=6.67%

Total Fractional Values: EDI 2=1.10 SS 1=6.00 REP 2=15.00

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child (exposure route).
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Clean Musk SDS-p-7280

Version: 1

P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.