



SAFETY DATA SHEET
In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

# Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: Ambreine Samuelson 133575E(Contains:Coumarin, Geraniol, cis-alpha-Santalol, d-Limonene)

Other identifiers: None

# 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses:

#### 1.3 Details of the supplier of the safety data sheet

Company name: Frater Perfumes Ltd
Company address: 7/30 Downer Street

Central Hutt Lower Hutt 5010 New Zealand

**Contact:** Regulatory Affairs

**E-Mail address:** regulatory@fraterworks.com

Company phone: 0800 889 3800

1.4 Emergency telephone number

Emergency phone: 0800 889 3800

# Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 2 danger:

Eye Damage / Irritation Category 1

Sensitization - Skin Category 1 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

Signal word: Danger

**Hazard statements:** H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.



Fraterworks

Issue date: 27/10/2024

Version: 1 (27/10/2024)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

H318, Causes serious eye damage. H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310, Immediately call a POISON CENTER or doctor/physician.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage. P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

#### 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 27.2500%

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

### Contains:

Name	CAS	%	GHS Classification
d-Limonene	5989-27-5	20-<50%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Coumarin	91-64-5	10-<20%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402
Vanillin	121-33-5	10-<20%	Acute Tox. 5-Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3; H303-H313-H319-H402
cis-alpha-Santalol	115-71-9	5-<10%	Acute Tox. 5-Skin Sens. 1B;H303-H317
Benzoin	119-53-9	5-<10%	Aquatic Acute 3-Aquatic Chronic 3;H412





Version: 1 (27/10/2024)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

Geraniol	106-24-1	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1-Aquatic Acute 3;H303-H315-H317-H318-H402
cis-beta Santalol	77-42-9	1-<5%	Acute Tox. 5-Skin Sens. 1B;H303-H317
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Myrcene	123-35-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400-H411
p-Mentha-1,4-diene	99-85-4	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Repr. 2-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2;H226-H303-H304-H361-H411
Musk ketone	81-14-1	0.1-<1%	Carc. 2-Aquatic Acute 1-Aquatic Chronic 1;H351-H410
alpha-Vetivone	15764-04-2	0.1-<1%	Skin Sens. 1B;H317
alpha-Guaiene	3691-12-1	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1;H304-H315-H319
beta-Vetivone	18444-79-6	0.1-<1%	Skin Sens. 1B;H317
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410
(E)-beta-Santalol	37172-32-0	0.1-<1%	Acute Tox. 5-Skin Sens. 1B;H303-H317
Benzyl trans-cinnamate	78277-23-3	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H317-H400-H411
Linalool	78-70-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402
Geranial	141-27-5	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2; H315-H317-H319-H401

#### Substances with workplace exposure limits, not listed above:

Not Applicable

# Section 4. First-aid measures

### 4.1 Description of first aid measures

Remove from exposure site to fresh air, keep at rest, and obtain medical attention. Inhalation:

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

# 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

# 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.





Version: 1 (27/10/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

### **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

# 8.1 Control parameters

Workplace exposure limits: Not Applicable





# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

# **8.2 Exposure Controls**

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

# **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

Not determined

Not determined

Not determined

Not determined

Not determined

Melting point / freezing point:

Not determined

Not determined

Not determined

Flash point: > 100 °C

**Evaporation rate:** Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Not determined Vapour density: Not determined Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined Not determined **Decomposition temperature:** Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

**9.2 Other information:**None available





Version: 1 (27/10/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

# Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

# 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

# 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 >5000 **Acute Toxicity Dermal** 

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2 Serious eye damage/irritation: Eye Damage / Irritation Category 1 Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met. Carcinogenicity: Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. STOT-repeated exposure:

**Aspiration hazard:** Aspiration Hazard Category 1

# Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
Geraniol	106-24-1	3600	Not available	Not available	Not available
Vanillin	121-33-5	3300	2600	Not available	Not available
cis-alpha-Santalol	115-71-9	3800	Not available	Not available	Not available





**SAFETY DATA SHEET** 

# In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

cis-beta Santalol	77-42-9	3800	Not available	Not available	Not available	

Refer to Sections 2 and 3 for additional information.

# Section 12. Ecological information

# 12.1 Toxicity:

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

12.5 Other adverse effects: Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **Section 14. Transport information**

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, beta-Pinene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, beta-Pinene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, beta-Pinene)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, beta-Pinene)	9	-	III

**14.5 Environmental hazards:**This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional





# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

### 14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

# Section 15. Regulatory information

EPA: Classified as Hazardous according to the New Zealand Hazardous

Substances (Minimum Degrees of Hazard) EPA Notice 2017.

HSNO Approval Code: HSR002526

Section 16. Other information

**Concentration % Limits:** SCI 2=33.05% SCI 3=3.11% EDI 1=99.83% EDI 2A=23.78% SS 1=3.67%

AH 1=36.70% EH A1=84.19% EH A2=8.42% EH A3=0.83129869% EH

C3=16.26% EH C4=74.70%

**Total Fractional Values:** SCI 2=3.03 SCI 3=32.14 EDI 1=1.00 EDI 2A=4.21 SS 1=27.25 AH 1=2.73

EH A1=1.19 EH A2=11.88 EH A3=120.29 EH C3=6.15 EH C4=1.34

Key to revisions:

Not applicable

### Key to abbreviations:

They to appreviations.	
Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
L	



# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

H315  Causes skin irritation. H318  Causes serious eye damage. Causes serious eye damage. H319  Causes serious eye irritation. H351  Suspected of causing cancer (exposure route). H361  Suspected of damaging fertility or the unborn child (exposure route). H400  Very toxic to aquatic life. H401  Toxic to aquatic life. H402  Harmful to aquatic life. H410  Very toxic to aquatic life with long lasting effects. H411  Toxic to aquatic life with long lasting effects. H412  Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233  Keep container tightly closed. P240  Ground/bond container and receiving equipment. P241  Use explosion-proof electrical, ventilating and lighting equipment. P242  Use only non-sparking tools. P243  Take precautionary measures against static discharge. P261  Avoid breathing vapour or dust. P264  Wash hands and other contacted skin thoroughly after handling. P270  Do not eat, drink or smoke when using this product. P272  Contaminated work clothing should not be allowed out of the workplace. P273  Avoid release to the environment.		
H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer (exposure route). H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. D241 Use explosion-proof electrical, ventilating and lighting equipment. D242 Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. D264 Wash hands and other contacted skin thoroughly after handling. D270 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. D273 Avoid release to the environment.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H351 Suspected of causing cancer (exposure route). H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H317	May cause an allergic skin reaction.
H351 Suspected of causing cancer (exposure route). H361 Suspected of damaging fertility or the unborn child (exposure route). H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H318	Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child (exposure route).  H400 Very toxic to aquatic life.  H401 Toxic to aquatic life.  H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H319	Causes serious eye irritation.
H400 Very toxic to aquatic life. H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P202 Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H351	Suspected of causing cancer (exposure route).
H401 Toxic to aquatic life. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	H361	Suspected of damaging fertility or the unborn child (exposure route).
H402 Harmful to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H401	Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H402	Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H410	Very toxic to aquatic life with long lasting effects.
P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H411	Toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	H412	Harmful to aquatic life with long lasting effects.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P202	Do not handle until all safety precautions have been read and understood.
P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P233	Keep container tightly closed.
P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P242	Use only non-sparking tools.
P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P243	Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P261	Avoid breathing vapour or dust.
P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P264	Wash hands and other contacted skin thoroughly after handling.
P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P270	Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection.	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/eye protection/face protection.
P281 Use personal protective equipment as required.	P281	Use personal protective equipment as required.
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352 IF ON SKIN: Wash with plenty of soap and water.	P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/showe	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy t do. Continue rinsing.	P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313 IF exposed or concerned: Get medical advice/attention.	P308/313	IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician.	P310	Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTRE or doctor/physician if you feel unwell.	P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330 Rinse mouth.	P330	Rinse mouth.
P331 Do not induce vomiting.	P331	Do not induce vomiting.
P332/313 If skin irritation occurs: Get medical advice/attention.	P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313 If eye irritation persists: Get medical advice/attention.	P337/313	If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.	P362	Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.	P363	Wash contaminated clothing before reuse.





Version: 1 (27/10/2024)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Ambreine Samuelson 133575E

Version: 1

In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Toxic to Reproduction Category 2
Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.