SAFETY DATA SHEET

BEDOUKIAN

1. Identification

Product identifier CEREZOATE™

Other means of identification

BRI Product Code 512

CAS number 1617-23-8 FEMA number 3456

Synonyms 3-Pentenoic acid, 2-methyl-, ethyl ester * ETHYL 2-METHYL-3-PENTENOATE (HIGH CIS) * Ethyl

2-methyl-cis-3-pentenoate * Ethyl 2-methyl-z-3-pentenoate

Recommended use flavors and fragrances

For Manufacturing Use Only

Recommended restrictions BRI's Products are not for use in tobacco products, e cigarettes, or any other nicotine delivery

devices; nor for use in non-tobacco delivery mechanisms such as vaping devices.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Bedoukian Research Inc (BRI)

Address 6 Commerce Drive

Danbury, CT 06810

United States

Telephone1-203-830-4000Websitewww.bedoukian.com

E-mail customerservice@bedoukian.com

Contact person Joseph Bania

Emergency phone number Chemtrec (North America) 1-800-424-9300

Chemtrec (International) +1-703-527-3887

2. Hazard(s) identification

Physical hazards Flammable liquids

Category 3

Health hazards Not classified.
Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with relevant area regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: CEREZOATE™ sps us

100% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Substances

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|---|------------|-----|
| CEREZOATE™ | 3-Pentenoic acid, 2-methyl-, ethyl ester ETHYL 2-METHYL-3-PENTENOATE (HIGH CIS) Ethyl 2-methyl-cis-3-pentenoate Ethyl 2-methyl-z-3-pentenoate | 1617-23-8 | 100 |
| Stabilizers | | | |
| Chemical name | Common name and synonyms | CAS number | % |
| synthetic alpha tocopherol | | 10191-41-0 | 0.1 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

attention if irritation develops and persists.

Eye contact Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

the chemical

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Specific hazards arising from

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CEREZOATE™ SDS US

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Recommended Packaging: Glass, Plastic, Aluminum or Phenolic Lined Steel. Store tightly sealed under inert gas in a cool, well-ventilated area.

8. Exposure controls/personal protection

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering co

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Color Colorless

Odor A powerful pineapple, cherry odor.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

326.77 °F (163.76 °C) US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

range

Windows, v 4.11. US EPA, Washington, DC, USA.

Flash point 110 °F (43 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Material name: CEREZOATE™ SDS US

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%)

1.49 mmHg at 20°C; US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Vapor pressure

Windows, v 4.11. US EPA, Washington, DC, USA.

4.9 Relative to air; air = 1 Vapor density

Not available. Relative density

Solubility(ies)

Not available. Solubility (water)

Partition coefficient 2.54 US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US

(n-octanol/water) EPA, Washington, DC, USA.

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Density 0.885 - 0.895 g/cm3 **Explosive properties** Not explosive.

Combustible II estimated Flammability class

Molecular formula C8H14O2 142.19 Molecular weight Not oxidizing. **Oxidizing properties**

0.885 - 0.895 at 25°C Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the Conditions to avoid

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Not known. Acute toxicity

Material name: CEREZOATE™ SDS US Product Species Test Results

CEREZOATE™ (CAS 1617-23-8)

Acute Oral

Liquid

LD50 Rat > 5000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

CEREZOATE™

Irritation Corrosion - Skin

Prolonged skin contact may cause temporary irritation.

cis-3-Hexenoate.

Result: No irritation observed.

Species: Rabbit Organ: Skin

Observation Period: 72 Hours

Notes: RIFM

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization CEREZOATE™

25 % Maximization test, Intradermal induction 25% in Freund's Complete Adjuvant/Propylene glycol. Topical induction and challenge 25% in Petrolatum. Result for similar

100 % Patch test, Result for similar material cis-3-Hexenyl

material Ethyl 2-methylpentanoate.

Result: Not sensitizing. Species: Guinea pig Organ: Skin Notes: RIFM

5 % OECD 406, Intradermal induction 5% in Freund's Complete Adjuvant/Corn oil/Saline. Topical induction and challenge 100% test material. Result for similar material cis-3-Hexenyl cis-3-hexenoate.

Result: Not sensitizing. Species: Guinea pig Organ: Skin

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

CEREZOATE™ < 5000 μg/plate, Strains TA 1535, TA 1537, TA 98, TA 100

with and without metabolic activation. Vehicle DMSO. Result

for similar material Ethyl-2-methylpentanoate.

Result: Not mutagenic.

Species: Salmonella typhimurium

Notes: RIFM

Notes: RIFM

33 - 5000 µg/plate, Strains TA 1535, TA 1537, TA 98, TA 100, and TA 102 with and without metabolic activation. Vehicle DMSO. Result for similar material cis-3-Hexenyl

cis-3-Hexenoate. Result: Not mutagenic.

Species: Salmonella typhimurium

Notes: RIFM

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Material name: CEREZOATE™ sps us

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CEREZOATE™

2.54, US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US EPA, Washington, DC, USA.

No data available. Mobility in soil

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number UN1993

UN proper shipping name

Flammable liquid, n.o.s. (ETHYL 2-METHYL-3-PENTENOATE)

Transport hazard class(es)

3 Class Subsidiary risk Packing group Ш **Environmental hazards** No. 3L **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN1993 **UN number**

UN proper shipping name Transport hazard class(es) FLAMMABLE LIQUID, N.O.S. (ETHYL 2-METHYL-3-PENTENOATE)

3 Class Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No.

Material name: CEREZOATE™ SDS US **EmS** F-E, <u>S</u>-<u>E</u>

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |

Material name: CEREZOATE™ SDS US

Country(s) or region Inventory name On inventory (yes/no)*

European Inventory of Existing Commercial Chemical

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No

Japan Inventory of Existing and New Chemical Substances (ENCS) No

KoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYes

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Toxic Chemical Substances (TCS)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date02-December-2022Revision date25-March-2025

Version # 02

Disclaimer Bedoukian Research Inc (BRI) cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Identification: Recommended restrictions

Material name: CEREZOATE™ sps us