



SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Limetol (Givaudan) SDS-6147(Contains:2,2,6-Trimethyl-6-vinyltetrahydropyran)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice
Company address: 170 Technology Circle

Scotts Valley CA 95066 USA

Contact: Elisabeth Hanson

E-Mail address: regulatory@perfumersapprentice.com

Company phone: (831)316-7137 1.4 Emergency telephone number

Emergency phone: ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 3

danger: Acute Toxicity - Oral Category 5

Eye Damage / Irritation Category 2B H226, Flammable liquid and vapour. H303, May be harmful if swallowed.

H320, Causes eye irritation.

2.2 Label elements

Signal word: Warning

Hazard statements: H226, Flammable liquid and vapour.

H303, May be harmful if swallowed.

H320, Causes eye irritation.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.





SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

P264, Wash hands and other contacted skin thoroughly after handling.

P280, Wear protective gloves/eye protection/face protection.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P337/313, If eye irritation persists: Get medical advice/attention.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
2,2,6-Trimethyl-6- vinyltetrahydropyran	7392-19-0	100.00%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3;H226-H303-H316

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: Rinse mouth with water and obtain medical attention.



Page 3 (7)

Issue date: 09/10/2024 Version: 1 (09/10/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.





SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Odour threshold:

Not determined

Not determined

Not determined

Melting point / freezing point:

Not determined

Not determined

Not determined

Not determined

Flash point: 57.8 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Not determined Viscosity: **Explosive properties:** Not expected Oxidising properties: Not expected



Page 5 (7)

Issue date: 09/10/2024 Version: 1 (09/10/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

9.2 Other information:None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Acute Toxicity - Oral Category 5

Acute Toxicity Oral 2700

Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Based on available data the classification criteria are not met.

Serious eye damage/irritation: Eye Damage / Irritation Category 2B

Respiratory or skin sensitisation:

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

	Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route	
--	------------	-----	---------------	--------------------	------------------------	------------	--





SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

2,2,6-Trimethyl-6- vinvltetrahydropyran	7392-19-0	2700	Not available	Not available	Not available
VIIIVILELIAIIVUIODVIAII					

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity: Not available
12.2 Persistence and degradability: Not available
12.3 Bioaccumulative potential: Not available
12.4 Mobility in soil: Not available
12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
IATA	UN1993	FLAMMABLE LIQUID, N.O.S. (2- ETHENYL-2,6,6- TRIMETHYLTETRAHYDROPYRAN)	3	-	III
IMDG	UN1993	FLAMMABLE LIQUID, N.O.S. (2- ETHENYL-2,6,6- TRIMETHYLTETRAHYDROPYRAN)	3	-	III
ADR,RID,ADN	UN1993	FLAMMABLE LIQUID, N.O.S. (2,2,6- Trimethyl-6-vinyltetrahydropyran)	3	-	III
ICAO TI	UN1993	FLAMMABLE LIQUID, N.O.S. (2- ETHENYL-2,6,6- TRIMETHYLTETRAHYDROPYRAN)	3	-	III

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable



Page 7 (7)

Issue date: 09/10/2024 Version: 1 (09/10/2024)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: Limetol (Givaudan) SDS-6147

Version: 1

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits: SCI 3=10.00%

Total Fractional Values: SCI 3=10.00

Key to revisions: Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 5	Acute Toxicity - Oral Category 5
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H316	Causes mild skin irritation.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/eye protection/face protection.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P332/313	If skin irritation occurs: Get medical advice/attention.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 3	Skin Corrosion / Irritation Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.