

PERFUMER'S APPRENTICE

Issue date: 05/23/2024

Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

**Product identifier:** Siam Wood Oil SDS-9346

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Perfumer's Apprentice
Company address: 170 Technology Circle

Scotts Valley CA 95066 USA

Contact: Elisabeth Hanson

**E-Mail address:** regulatory@perfumersapprentice.com

Company phone: (831)316-7137 1.4 Emergency telephone number

**Emergency phone:** ChemTel:1(800)255-3924, 01(813)248-0585 MIS6760377

## Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 2 danger:

Eye Damage / Irritation Category 2

Sensitization - Skin Category 1B Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger

**Hazard statements:** H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.



PERFUMER'S APPRENTICE

Issue date: 05/23/2024

Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P261, Avoid breathing dust/fume/gas/mist/vapour/spray.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301/330/331, If swallowed: Rinse mouth. Do not induce vomiting.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

# 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.0000%

# Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### **Contains:**

Name	CAS	%	GHS Classification
Nerolidol (isomer unspecified)	7212-44-4	60.50%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 1;H319-H410

## Substances with workplace exposure limits, not listed above:

Not Applicable





Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

### Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

If swallowed: Rinse mouth. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

## 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

# 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.





Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

### **8.2 Exposure Controls**

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance: Not determined Odour: Not determined **Odour threshold:** Not determined pH: Not determined Melting point / freezing point: Not determined Initial boiling point / range: Not determined Flash point: Not determined Not determined **Evaporation rate:** Flammability (solid, gas): Not determined





Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Not determined Solubility(ies): Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected **Oxidising properties:** Not expected

**9.2 Other information:**None available

## Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

## 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral Not Applicable
Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2





Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2
Respiratory or skin sensitisation: Sensitization - Skin Category 1B

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

## 12.1 Toxicity:

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available12.5 Other adverse effects:Not available

#### Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **Section 14. Transport information**

	14.1 UN number:		14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nerolidol (isomer unspecified))	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nerolidol (isomer unspecified)) MARINE POLLUTANT	9	-	III

Version: 2 (05/23/2024)

## **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product:** Siam Wood Oil SDS-9346

Version: 2

ADR,RID,ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nerolidol (isomer unspecified))	9	-	III
ICAO TI	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nerolidol (isomer unspecified))	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

None additional

Section 16. Other information

Concentration % Limits: EDI 2A=16.53% EH A1=41.32% EH A2=4.13% EH A3=0.41322314% EH

C1=41.32% EH C2=4.13% EH C3=0.41322314% EH C4=41.32%

**Total Fractional Values:** EDI 2A=6.05 EH A1=2.42 EH A2=24.20 EH A3=242.00 EH C1=2.42 EH

C2=24.20 EH C3=242.00 EH C4=2.42

Key to revisions:

2.1 Classification of the substance or mixture

### Key to abbreviations:

Abbreviation	Meaning	
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
Eye Irrit. 2A	Eye Damage / Irritation Category 2A	
H319	Causes serious eye irritation.	
H410	Very toxic to aquatic life with long lasting effects.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.