

Product

DAMASCOL BHT

Print Date

10/25/2019

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	: : : :	DAMASCOL BHT 00040810 00040810 R00000219049 Fragrance Ingredient
Company	:	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254
Telephone Telefax Emergency telephone number	: : :	(904) 783-2180 (904) 695-4616 +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin irritation, Category 2 Skin sensitisation, Sub-category 1B

GHS-Labelling

Symbol(s)	
Signal word	: Warning
Hazard statements	: H315: Causes skin irritation.
Precautionary statements	: P280: Wear protective gloves. P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Version Revision Date : 3 : 08/26/2019

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Product	DAMASCOL BHT		
Print Date	10/25/2019	Page	2 (9)

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.
3-Hexanone, 5-methyl-5-phenyl-	4927-36-0
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties		
Flash point	: 201.20 °F (94.00 °C)	
Fire fighting		
Version	: 3	
Revision Date	: 08/26/2019	

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180

IFF CHEMICAL HOLDINGS, INC.

2051 NORTH LANE AVENUE

JACKSONVILLE FL 32254



Product	DAMASCOL BHT			
Print Date	10/25/2019	Page 3 (9)		
Suitable extinguishing media	: Use water spray, dry chemical, carbon dio	xide or appropriate foam.		
Protective equipment and precautions for firefighters				
Special protective equipment f firefighters	or : Wear NIOSH approved self-contained bre protective clothing when fighting fires inv water spray to cool containers exposed to b	olving chemicals. Use		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling :	 Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in 		
Version	: 3		
Revision Date	: 08/26/2019		
IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254	IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254		
Telephone: +19047832180	Telefax: +19046954616		



Product	DAMASCOL BHT			
Print Date	10/25/2019		Page	4 (9)
Advice on protection against f	ire :	order to minimize emissions of volatile chemicals into Keep away from ignition sources and naked flame.	the air.	
Requirements for storage areas containers	s and :	Store in a cool, dry, ventilated area away from heat so containers upright and tightly closed when not in use.	urces. Ke	ep

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.
	If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
	a)while engineering controls and appropriate safe work practices
Version Revision Date	: 3 : 08/26/2019

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Product	DAMASCOL BHT		
Print Date	10/25/2019	Page	5 (9)
	and/or procedures are being implemented; or b)during short term maintenance procedures when engi- controls are not in normal operation or are not sufficien c)if normal operational workplace vapor concentration increased due to heat ; d)during emergencies; or e)if engineering controls and operational practices are n to reduce airborne concentrations below an established exposure limit.	it; or in the ai not suffi	ir is cient
Hygiene measures	 To the extent deemed appropriate, implement pre-place regularly scheduled ascertainment of symptoms and spi testing of lung function for workers who are regularly e this material. To the extent deemed appropriate, use an experienced a expert to identify and measure volatile chemicals that co present in the workplace air to determine potential expo ensure the continuing effectiveness of engineering contro operational practices to minimize exposure. 	irometry exposed air samp could be osures a	v to ling nd to
Protective measures	 In December 2003, the National Institute for Occupatio and Health ("NIOSH") published an Alert on preventing disease in workers who use or make flavorings [NIOSH Number 2004-110]. In August 2004, the United States Flavor and Extract M Association (FEMA) issued a report entitled "Respirato the Flavor Manufacturing Workplace". Both of these reports provide recommendations for redue employee exposure and for medical surveillance in the The recommendations in these reports are generally appr use of any chemical in the workplace and you are strong review both of these reports. The report published by FEMA also contains a list of "I chemicals. If any of these chemicals are present in this p concentration >= 1.0% due to an intentional addition by chemical(s) will be identified in this safety data sheet. 	g lung H Public Ianufac ory Safe ucing workpla plicable gly urge high pri product	ation turers ty in ace. to the ed to ority" at a

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Version Revision Date : 3 : 08/26/2019

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telefax: +19046954616

Classification: Internal



Product	DAMASCOL BHT		
Print Date	10/25/2019		6 (9)
Appearance			
Physical state Appearance Colour Odour	 liquid CLEAR LIQUID colorless conforms to standard 		
Safety data			
Flash point	: 201.20 °F (94.00 °C)		
Vapour pressure	: .01 hPa (0.01 hPa) Note: Calculated		
Relative density (20 °C)	: 0.9590 - 0.9670		
Partition coefficient: n-octanol/	water : log Pow: 3.215		

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 3,000 mg/kg Method: Calculation method	
Acute oral toxicity (Component)	: Component: 4927-36-0 LD50 Rat Dose: 3,000 mg/kg	
Version Revision Date	: 3 : 08/26/2019	
IFF CHEMICAL HOLDINGS, INC.		IFF CHEMICAL HOLDINGS, INC.

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254



Product	DAMASCOL BHT			
Print Date	10/25/2019 Pa	age	7 (9)	
Skin irritation (Component)	: Component: 4927-36-0 human Result: No skin irritation Method: closed patch test			
Eye irritation(Component)	: Component: 4927-36-0 Rabbit Result: Mild eye irritation			
Sensitisation (Component)	 Component: 4927-36-0 human Result: Did not cause sensitisation on laboratory animals. Test substance: 2.5% maximisation study human Result: Causes sensitisation. Test substance: 5% 			
Repeated dose toxicity(Component)	: Component: 4927-36-0			

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous good	S		
ΙΑΤΑ	UN number Description of the go	-	3082 ENVIRONMENTALL SUBSTANCE, LIQU (4-DAMASCOL)	
	Class	:	9	
Version Revision Date		: 3 : 08/26/20	19	
IFF CHEMICAL HOLDING 2051 NORTH LANE AVEN JACKSONVILLE FL 3225	NUE			IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254
Telep	phone: +19047832180			Telefax: +19046954616

Classification: Internal



Product	DAMASCOL BHT	Γ				
Print Date	10/25/2019			Page	8	(9)
	Packing group ICAO-Labels	:	III 9			
IMDG	UN number Description of the goods	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4-DAMASCOL)			
	Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	: :	9 III 9 F-A S-F yes (4-DAMASCOL)			

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: Acute Health Hazard
Reportable Quantity	:
HMIS Classification	: Health hazard: 2 Flammability: 1 Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 3 : 08/26/2019

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180



Print Date	10/25/2019	Page	9 (9)
Product	DAMASCOL BHT		

Version Revision Date : 3 : 08/26/2019

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telephone: +19047832180

IFF CHEMICAL HOLDINGS, INC. 2051 NORTH LANE AVENUE JACKSONVILLE FL 32254

Telefax: +19046954616

Classification: Internal