

Product

PAMPLEFLEUR

Print Date

06/10/2020

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	:	PAMPLEFLEUR 00161012 00161012 R00000111615 Fragrance Ingredient
Company	:	IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone Telefax Emergency telephone number	::	+34964470212 +34964473411 +34 964 470 212

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Skin sensitisation, Category 1

GHS-Labelling

Symbol(s)

Signal word	Warning
Hazard statements	H317: May cause an allergic skin reaction.
Precautionary statements	P280: Wear protective gloves. P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

: 🔨

Carcinogenicity:

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	PAMPLEFLEUR		
Print Date	06/10/2020	Page	2 (9)

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Component	CAS-No.
Benzenebutanol, .beta.,.deltadimethyl-	92585-24-5
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : 219.99 °F (104.44 °C)

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	PAMPLEFLEUR	
Print Date	06/10/2020	Page 3 (9)
Fire fighting Suitable extinguishing media	: Use water spray, dry chemical, carbon dioxide or a	ppropriate foam.
Protective equipment and pre-	cautions for firefighters	
Special protective equipment for firefighters	 Wear NIOSH approved self-contained breathing approtective clothing when fighting fires involving cl water spray to cool containers exposed to fire. 	-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling	: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
	If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be
Version	: 2
Revision Date	: 06/10/2020
IFF Benicarló, S.L. Avda. Felipe Klein 2	IFF Benicarló, S.L. Avda. Felipe Klein 2
12580 BENICARLÓ	12580 BENICARLÓ

Telephone: +34964470212



Product	PAMPLEFLEUR			
Print Date	06/10/2020		Page 4	4 (9)
Advice on protection against fi	re :	restricted to properly trained employees. Keep all heated processes at the lowest necessary temp order to minimize emissions of volatile chemicals into Keep away from ignition sources and naked flame.		
Requirements for storage areas containers	and :	Store in a cool, dry, ventilated area away from heat sou containers upright and tightly closed when not in use.	urces. Keep)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures	
Engineering measures	: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment	
Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	 Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:
Version	: 2
Revision Date	: 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product	PAMPLEFLEUR		
Print Date	06/10/2020	Page	5 (9)
	 a) while engineering controls and appropriate safe wo and/or procedures are being implemented; or b) during short term maintenance procedures when encontrols are not in normal operation or are not sufficient c) if normal operational workplace vapor concentration increased due to heat; d) during emergencies; or e) if engineering controls and operational practices are to reduce airborne concentrations below an established exposure limit. 	ngineerin ent; or on in the a e not suff	g air is ïcient
Hygiene measures	 To the extent deemed appropriate, implement pre-plaregularly scheduled ascertainment of symptoms and stesting of lung function for workers who are regularly this material. To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals tha present in the workplace air to determine potential exensure the continuing effectiveness of engineering cooperational practices to minimize exposure. 	spirometr y exposed d air sam t could be sposures a	y l to pling e and to
Protective measures	 In December 2003, the National Institute for Occupat and Health ("NIOSH") published an Alert on prevent disease in workers who use or make flavorings [NIO Number 2004-110]. In August 2004, the United States Flavor and Extract Association (FEMA) issued a report entitled "Respira the Flavor Manufacturing Workplace". Both of these reports provide recommendations for re employee exposure and for medical surveillance in th The recommendations in these reports are generally a use of any chemical in the workplace and you are stra- review both of these reports. The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in th concentration >= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet 	ing lung SH Public atory Safe educing the workpl applicable ongly urg f "high pr is produc by IFF, t	cation cturers ety in lace. e to the ed to iority" t at a

Version Revision Date

IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ : 2 : 06/10/2020

> IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product	PAMPLEFLEUR
Print Date	06/10/2020

Page 6 (9)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Appearance Colour		liquid CLEAR LIQUID colorless to pale yellow
Odour	:	conforms to standard
Safety data		
Flash point	:	219.99 °F (104.44 °C)
Vapour pressure	:	.00 hPa (0.00303 hPa) at 77 °F (25 °C) Method: EU Method A.4
Relative density (20 °C)	:	0.9550 - 0.9630
Partition coefficient: n-octanol/water	:	log Pow: 3.245

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: Acute toxicity estimate Dose: 3,604 mg/kg Method: Calculation method	
Version Revision Date	: 2 : 06/10/2020	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ		IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



SAFETY DATA SHEET SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	PAMPLEFLEUR		
Print Date	06/10/2020		7 (9)
Acute oral toxicity (Compone	nt) : Component: 92585-24-5 LD50 Rat Dose: 3,600 mg/kg		
Acute dermal toxicity	: Acute toxicity estimate Dose: 2,503 mg/kg Method: Calculation method		
Acute dermal toxicity (Component)	: Component: 92585-24-5 LD50 Rabbit Dose: > 2,000 mg/kg		
Skin irritation (Component)	: Component: 92585-24-5 Rabbit Result: No skin irritation		
Eye irritation(Component)	: Component: 92585-24-5 Rabbit Result: Eye irritation		
Sensitisation (Component)	 Component: 92585-24-5 LLNA Mouse Result: Does not cause skin sensitisation. Method: OECD 429 repeated insult patch test human Result: Does not cause skin sensitisation. Test substance: 3.0% in petrolatum 		
Repeated dose toxicity(Component)	 Component: 92585-24-5 OralRat Number of exposures: 1x /day NOEL: 55 mg/kg Method: OECD Test Guideline 407 		

SECTION 12. ECOLOGICAL INFORMATION

Component: 92585-24-5	METHYL PHENYL	<u>Toxicity to fish:</u> LC50	
Version	: 2		
Revision Date	: 06/10/2020	0	
IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ			IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ
Telephone: +349644	470212		Telefax: +34964473411



Product	PAMPLEFLEUR	
Print Date	06/10/2020	Page 8 (9)
	PENTANOL	Species: Dose: 13 mg/l Exposure time: 96 h <u>Toxicity to daphnia and other aquatic invertebrates:</u> EC50 Species: Dose: 8.7 mg/l Exposure time: 48 h

SECTION 13. DISPOSAL CONSIDERATIONS

- Contaminated packaging : Pl
- : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods		
ΙΑΤΑ	UN number Description of the goods	:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYL-4-PHENYL-1-PENTANOL)
	Class	:	9
	Packing group	:	III
	ICAO-Labels	:	9
IMDG	UN number	:	3082
	Description of the goods	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-METHYL-4-PHENYL-1-PENTANOL)
	Class	:	9
	Packing group	:	III
	IMDG-Labels	:	9
	EmSNumber 1	:	F-A
	EmSNumber 2	:	S-F
	Marine pollutant	:	yes
			(2-METHYL-4-PHENYL-1-PENTANOL)
Version	: 2		
Revision Date	: 06/10/2	02	0
Date Date		~-	-

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ



Product
PAMPLEFLEUR

Print Date
06/10/2020

Page
9 (9)

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards
: Acute Health Hazard

Reportable Quantity
:

 HMIS Classification
 : Health hazard: 2

 Flammability: 1
 Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 2 : 06/10/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ