

In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

Section 1. Identification of the substance or the mixture and of the supplier

- 1.1 Product Identifier
- Product identifier:Sugar Punch Type Flavored Terpenes SUG0002Other identifiers:None
- 1.2 Relevant identified uses of the substance of mixture and uses advised against
- Product uses: Flavours

1

1.3 Details of the supplier of the safety data sheet

Company name:	Perfumer's Apprentice		
Company address:	170 Technology Circle Scotts Valley CA 95066 USA		
Contact:	Elisabeth Hanson		
E-Mail address:	regulatory@perfumersapprentice.com		
Company phone:	+1 (831) 346 7234		
1.4 Emergency telephone number			
Emergency phone:	+1 (831) 346 7234		

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger:	Flammable Liquid, Hazard Category 3 Acute Toxicity - Oral Category 4 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1 H226, Flammable liquid and vapour. H302, Harmful if swallowed. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction.
2.2 Label elements	H319, Causes serious eye irritation.

Signal word: Danger



In accordance with 29 CFR 1910.1200

		In accordance with 29 CFR 1910.1200
Product:	Sugar	Punch Type Flavored Terpenes SUG0002
Version:	1	
Hazard stater	nents:	H226, Flammable liquid and vapour. H302, Harmful if swallowed. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.
Precautionary statements:		 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P233, Keep container tightly closed. P240, Ground/bond container and receiving equipment. P241, Use explosion-proof electrical, ventilating and lighting equipment. P242, Use only non-sparking tools. P243, Take precautionary measures against static discharge. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P270, Do not eat, drink or smoke when using this product. P272, Contaminated work clothing should not be allowed out of the workplace. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P330, Rinse mouth. P331, Do not induce vomiting. P333,131, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P337/313, If skin irritation or sash occurs: Get medical advice/attention. P337/313, If skin irritation persists: Get medical advice/attention. P337/313, If skin irritation persists: Get medical advice/attention. P337/313, If skin irritation persists: Get medical advice/attention. P337/313, If axe of fire: Use carbon dioxide, dry chemical, foam for extinction. P437/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
Pictograms:		
Other hazards	5:	None



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

1

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
alpha-Pinene	80-56-8	201-291-9	50-100%	FL 3-SCI 2-SS 1B-AH 1;H226-H304- H315-H317
d-Limonene	5989-27-5	227-813-5	10-<20%	FL 3-SCI 2-SS 1B-AH 1;H226-H304- H315-H317
Benzyl alcohol	100-51-6	202-859-9	5-<10%	ATO 4-ATI 4-EDI 2A;H302-H319-H332
beta-Caryophyllene	87-44-5	201-746-1	5-<10%	AH 1;H304
beta-Pinene	127-91-3	204-872-5	5-<10%	FL 3-SCI 2-SS 1B-AH 1;H226-H304- H315-H317
p-Cymene	99-87-6	202-796-7	0.1-<1%	FL 3-AH 1;H226-H304
Myrcene	123-35-3	204-622-5	0.1-<1%	FL 3-SCI 2-EDI 2A-AH 1;H226-H304- H315-H319
Sabinene	3387-41-5		<0.1%	FL 3-SCI 2-SS 1-AH 1;H226-H304- H315-H317
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	222-908-8	<0.1%	EDI 2A-SS 1A;H317-H319
Terpinolene	586-62-9	209-578-0	<0.1%	FL 4-SS 1B-AH 1;H227-H304-H317
delta-3-Carene	13466-78-9	236-719-3	<0.1%	FL 3-SCI 2-SS 1B-AH 1;H226-H304- H315-H317
p-Mentha-1,4-diene	99-85-4	202-794-6	<0.1%	FL 3-AH 1;H226-H304

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Ethyl acetate	141-78-6	205-500-4	<0.1%

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

C 1

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

1

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

1

Ingredient	CAS	EC	Description	ppm	mg/m³	Reference
Ethyl acatata	141-78-6	205-500-	Long-term exposure limit (8-hour TWA reference period)	-	-	-
Ethyl acetate	141-70-0	4	Short-term exposure limit (15- minute reference period)	-	-	-

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	32 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

1

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Inhalation Route: 4279 >5000 Not Available Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl alcohol	100-51-6	202-859-9	1620	2500	11	Vapour

Refer to Sections 2 and 3 for additional information.



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

1

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: No

Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	UN1197
14.2 UN Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID
14.3 Transport hazard class(es):	3
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits:	SCI 2=11.49% SS 1=1.41% AH 1=10.73%



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

Total Fractional Values:

1

SCI 2=8.70 SS 1=71.00 AH 1=9.32

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
EDI 2A	Eye Damage / Irritation Category 2A
FL 3	Flammable Liquid, Hazard Category 3
FL 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.



In accordance with 29 CFR 1910.1200

Product: Sugar Punch Type Flavored Terpenes SUG0002

Version:

1

P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.